

See inside of back cover
for catalog card.

HEALTH STATISTICS

FROM THE U. S. NATIONAL HEALTH SURVEY

interim report on
Health Insurance

United States
July-December 1959

Results of a preliminary study on the proportion of the population covered by hospital insurance, surgical insurance, and doctor visit insurance according to selected characteristics of the population. Based on data collected in household interviews during the period July-December 1959.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Arthur S. Flemming, Secretary

Public Health Service
Leroy E. Burney, Surgeon General

NATIONAL CENTER FOR HEALTH STATISTICS

Forrest E. Linder, Ph.D., Director
Theodore D. Woolsey, Assistant Director

U. S. NATIONAL HEALTH SURVEY

Theodore D. Woolsey, Chief
Alice M. Waterhouse, M. D., Chief Medical Advisor
James E. Kelly, D. D. S., Dental Advisor
Walt R. Simmons, Statistical Advisor
O. K. Sagen, Ph. D., Chief, Special Studies
Philip S. Lawrence, Sc. D., Chief, Health Interview Survey
Margery R. Cunningham, Staff Assistant
Robert T. Little, Chief, Automatic Data Processing

The U. S. National Health Survey is a continuing program under which the Public Health Service makes studies to determine the extent of illness and disability in the population of the United States and to gather related information. It is authorized by Public Law 652, 84th Congress.

CO-OPERATION OF THE BUREAU OF THE CENSUS

Under the legislation establishing the National Health Survey, the Public Health Service is authorized to use, insofar as possible, the services or facilities of other Federal, State, or private agencies. For the Health Interview Survey the Bureau of the Census designed and selected the sample, conducted the household interviews, and processed the data in accordance with specifications established by the Public Health Service.

Public Health Service Publication No. 584-B26

CONTENTS

	Page
Background of This Report-----	1
Summary-----	2
Source and Limitations of the Data-----	3
Part I: The Extent of Coverage-----	5
Sex and Age-----	5
Residence-----	6
Region-----	6
Family Income-----	6
Major Activity-----	7
Family Status-----	8
Chronic Activity Limitation-----	9
Hospital Utilization-----	10
Part II. Type of Insuring Organization-----	11
Distribution by Selected Population Groups-----	11
Detailed Tables: Part I	
Residence-----	18-20
Region-----	21-23
Family Income-----	24-26
Major Activity and Family Status-----	27-31
Chronic Activity Limitation-----	32-34
Hospital Utilization-----	35
Detailed Tables: Part II	
Type of Insuring Organization-----	36-46
Population Tables-----	47-53
Appendix I. Technical Notes on Methods-----	54
Background of This Report-----	54
Statistical Design of the Health Interview Survey-----	54
General Qualifications-----	54
Reliability of Estimates-----	55
Appendix II. Definitions of Certain Terms Used in This Report-----	56
Health Insurance Terms-----	56
Kind of Coverage-----	56
Type of Insuring Organization-----	56
Family and Related Terms-----	56
Demographic, Social, and Economic Terms-----	56
Disability Terms-----	57
Hospital Terms-----	58
Appendix III. Questionnaire-----	59
Appendix IV. Special Notes on Health Insurance Data-----	63
Reporting Unit-----	63
Interviewing-----	63
Field Procedures-----	63
National Estimates-----	63
Computational Procedures-----	65

SYMBOLS AND NOTES

Data not available (three dashes)-----	---
Category not applicable (three dots)-----	...
Quantity is zero (1 dash)-----	-
Magnitude greater than zero but less than one-half of the unit used-----	0 or 0.0
Magnitude of the sampling error precludes showing separate estimate-----	(*)

NOTE: Due to rounding, detailed figures within
tables may not add to totals

HEALTH INSURANCE

BACKGROUND OF THIS REPORT

In July of 1959 the U. S. National Health Survey began experimentally to collect data on health insurance. Questions designed to elicit information as to whether the individual had hospital, surgical, or doctor visit insurance were added to the questionnaire. Special collection procedures were instituted to obtain the information from the respondent best qualified to give it.


At the end of 1959 the experimental phase of collecting information was ended to allow time for evaluation of the data before the questions appeared on the questionnaire in a revised form. During the past year a special study designed to appraise the quality of health insurance data collected in interviews has been instituted and the data from the 1959 experimental collection period have been studied for internal consistency and

have been compared with data from other sources. The results of these evaluations will be utilized in determining the form of the questions and the procedures to be used in collecting future data on health insurance.


Because of the time required to complete the special study and the additional time required to collect the information, new data will not be available for at least 2 years. In the meantime, there is a current need for data on health insurance coverage. This interim report based on the preliminary study conducted in the latter half of 1959 is being issued to help meet this need. Because of certain limitations which are set forth in the sections which follow, some of these estimates—especially those on coverage for doctor visits—should be used with caution.

SUMMARY

Approximately 67 percent of the civilian non-institutional population of the United States was covered by some form of hospital insurance, 62 percent by surgical insurance, and 19 percent by insurance for doctor visits outside the hospital according to responses to 19,000 household interviews conducted by the U. S. National Health Survey from July through December 1959.




In urban areas 72 percent of the population had hospital insurance; in rural-nonfarm areas 68 percent had hospital insurance; in farm areas 45 percent had this kind of coverage. For surgical insurance the comparable estimates were 66, 64, and 40 percent, and for doctor visit insurance the estimates were 20, 21, and 12 percent.




The proportion of the population covered by hospital and surgical insurance was generally highest in the Northeast and North Central regions of the United States and lowest in the South. The proportion covered in the West was between the extremes and somewhat below the national

average. However, the proportion covered by insurance for doctor visits in the West, 32 percent, was higher than in the other 3 regions.



In families where the income during the previous 12 months was under \$2,000, approximately 33 percent of the persons had hospital insurance, 27 percent had surgical insurance, and 9 percent had insurance for doctor visits outside the hospital. In families with the highest income during the previous 12 months, \$7,000 or more, the comparable percentages were 84, 80, and 28.



Persons in the age range in which the working population is concentrated were more likely to have health insurance than children or old people, although the rate of coverage for those under age 25 was higher than it was for persons age 65 or older. Among persons age 65 and older, approximately 46 percent were covered by some form of hospital insurance, 37 percent by surgical insurance, and 10 percent by doctor visit insurance.

SOURCE AND LIMITATIONS OF THE DATA

The data presented in this report were derived from a continuing household interview survey based on a probability sample of the civilian noninstitutional population residing in the United States. During the period July-December 1959 approximately 19,000 households containing 62,000 persons were interviewed. For 52 percent of the population all of the information was obtained at the time of interview. For the other 48 percent, information on the illness and demographic information was obtained at the time of the interview, and the information on health insurance was collected by special mail-in form which was left at the household for the head of the reporting unit to complete and return.

A description of the statistical design of the survey, the methods used in estimation, and general qualifications of data obtained from surveys can be found in Appendix I. Since all estimates presented in this report are based on a sample of the population rather than the entire population, they are subject to sampling error. Therefore, particular attention should be paid to the section headed "Reliability of Estimates" which includes a table of sampling errors and instructions for their use.

Definitions of certain terms used in this report are given in Appendix II. Since many of these terms have specialized meanings for the purpose of this survey, familiarity with these definitions will assist the reader in interpreting the data.

The questionnaire which was used to collect the data is reproduced as Appendix III. Only a portion of the information obtained by means of the questionnaire is included in this report. Other questionnaires in this series give data on other topics covered by the questionnaire. However, the enclosed document is included so that the reader can understand the context in which the data for this report were gathered.

Appendix IV consists of notes on the special procedures which are applicable only to the health insurance data. The use of a mail-in form for collection of health insurance data introduced differences in the usual National Health Survey field computational procedures. The operating procedures used in this phase of the data collection and some of the effects on the data are discussed in Appendix IV.

A general limitation to all data obtained by household interview is that the data are no better than the respondent's knowledge of and willingness to discuss his own affairs. The respondent may be unwilling to answer, he may not know the answer, or he may give incorrect information. Approximately one percent of the households scheduled for

interview resulted in refusal to give any information. Of the persons for whom the regular interview was completed, 3.7 percent failed to give the information on health insurance. This additional nonresponse on health insurance was due to the failure to return the mail-in form where one had been left.

Some impression of the magnitude of the second limiting factor, lack of knowledge, can also be gained from the data. For hospital insurance, an estimated 1.9 percent of the population either did not know whether they were covered or else failed to understand the question well enough to give a usable response. For surgical insurance the comparable figure is 4.8 percent, and for insurance for doctor visits it is 6.3 percent.

To compute the percentages shown in this report, only those persons who responded either yes or no as to whether they had health insurance were included. This procedure in effect distributed the population for whom information was not obtained in the same manner as the population for whom information was obtained. The original and the prorated distributions for hospital insurance are shown in table A.

The third source of error in data obtained by interviews is in the quality of the information given by the respondent. The magnitude of this error cannot be stated in numerical terms as the survey design did not include procedures for checking records to ascertain whether the people were reporting their coverage accurately. However, two indirect procedures were utilized. The first was a comparison with data from other

Table A. The effect of prorating the unusable responses on the percent of persons covered for hospital insurance

Response for hospital insurance	Original	Prorated
Total-----	100.0	
Usable-----	94.4	100.0
Yes-----	63.4	67.1
No-----	31.0	32.9
Not usable-----	5.6	...
Don't know-----	1.9	...
No response-----	3.7	...

sources, such as results from other surveys and the estimates made from insurance company records. Estimates on total coverage from these sources are shown in table B. The second was a check of a sample of questionnaires against published lists of insurance companies to determine

whether such a company actually existed and whether it provided the type of insurance which had been reported. Such a check was made and only rarely did a respondent name a plan which was not on the published lists. There was, therefore, reason to believe that respondents were giving reliable information about their insurance.

Table B. Percent of persons with hospital insurance as estimated from surveys of insuring organizations and from household interview surveys: United States, July-December 1959

Year	Surveys of insuring organizations ^{1,2}	Household interview surveys
1950----	50.9	
1951----	56.0	
1952----	58.7	
1953----	61.7	57 ³
1954----	63.1	
1955----	65.7	
1956----	69.4	64 ⁴
1957----	71.4	66 ⁵
1958----	71.1	65 ⁶
1959----	72.5	67 ⁷

¹The Extent of Voluntary Health Insurance Coverage in the United States as of December 31, 1958. Health Insurance Council, 1959.

²Current Population Reports. Population Estimates. Series P-25, No. 209, December 14, 1959.

³Anderson, O. W., and Feldman, J. J.: Family Medical Costs and Voluntary Health Insurance: A Nationwide Survey. McGraw-Hill Book Co., New York, N. Y., 1956.

⁴Brewster, A. W., and Kramer, L. N.: Health insurance and hospital use related to marital status. Pub. Health Rep. 74: No. 8, August 1959.

⁵A Profile of the Health Insurance Public. Health Insurance Institute, 1959.

⁶Voluntary Health Insurance: 1953 and 1958. Health Information Foundation Program in Health Services. VIII: No. 5, May 1959.

⁷U. S. National Health Survey. Interim Report on Health Insurance, United States, July-December 1959. PHS Pub. No. 584-B26.

PART I

THE EXTENT OF COVERAGE

The need for health insurance as protection against high medical expenses has become generally recognized in the United States. Although estimates of the number of people covered by health insurance vary, depending on the source of the data, the population included, and the definition of what constitutes health insurance, at least two thirds of the people now living in the United States have some kind of protection.

The source of the data presented in this report and the population from which these data are drawn have been noted in the previous section and are discussed at greater length in Appendix I. However, before the estimates can have any meaning, it is necessary to understand exactly what kind of protection is included. For this report all forms of payment for care provided by the government to certain population groups, such as public welfare for the indigent, Medicare for military dependents, and care for veterans available through the Veterans Administration, are excluded. Also excluded is care provided by voluntary agencies to victims of specified diseases or to other defined segments of the population. Other common forms of protection which are excluded are workmen's compensation, loss of income insurance, and policies which pay benefits only for accidents or for the "dread diseases."

The three forms of health insurance which are included are: hospital insurance which pays

all or part of the bill for the hospitalized person; surgical insurance which pays all or part of the bill of the doctor performing an operation either in a hospital or in his office; and doctor visit insurance which pays the doctor's bill for nonsurgical care including home or office visits for treatment, diagnostic examinations, or other procedures.

In general, the pattern of distribution of coverage in the population is similar for the three kinds of coverage even though the proportion covered by each kind of protection is different. For this reason, and also because hospital insurance is most clearly defined in the minds of respondents, most of the discussion which follows is limited to hospital insurance. Where the distribution of one of the other kinds of coverage differs from that of hospital insurance, the difference is noted. Tables of age-specific rates within each population group for each of the three kinds of coverage have been included at the end of the text for the benefit of those who desire more detailed information.

Sex and Age

There was a slight but consistent difference between the rate of coverage for males and that for females. For the United States as a whole, 68.1 percent of the males and 66.3 percent of the

Table C. Percent distribution of the total population and the insured populations by age: United States, July-December 1959

Age	U.S. total	Persons with insurance		
		Hospital	Surgical	Doctor visit
All ages-----	100.0	100.0	100.0	100.0
0-14-----	31.7	31.1	31.7	30.5
15-24-----	13.0	12.0	12.0	12.5
25-34-----	12.7	13.7	14.3	15.0
35-44-----	13.4	14.9	15.2	15.8
45-54-----	11.7	13.1	12.8	13.1
55-64-----	8.8	9.0	8.6	8.4
65-74-----	5.7	4.7	4.2	3.7
75+-----	3.0	1.5	1.2	1.1

females were covered by hospital insurance. A difference of approximately the same magnitude between the sexes was maintained through all age groups despite the variations among the age groups in the proportion covered.

The rate of coverage was fairly high for children (66.5 percent had hospital insurance), decreased slightly for those aged 15-24 (63.4 percent), and then increased again. For persons aged 25-54, the rates of coverage by 10-year age groups were 72.8 percent, 74.5 percent, and 74.4 percent. From that point on the proportion covered dropped to 67.3 percent for those aged 55-64, to 53.2 percent for those aged 65-74, and to 32.5 percent for those aged 75 or more.

Table C shows the distribution of the total population and the insured population by age. Approximately 8.7 percent of the U. S. population was 65 years of age or older. Among persons with hospital insurance 6.2 percent were age 65 or older. Among persons with surgical insurance 5.4 percent were in that age group and among persons with doctor visit insurance only 4.8 percent were 65 or over.

Residence

Among persons living in urban areas 71.5 percent had hospital insurance. In the rural-nonfarm areas 68.0 percent of the population had hospital insurance and in the rural-farm areas only 45.0 percent of the population had such coverage. The proportional difference in the coverage rates for the three areas was less for surgical and doctor visit insurance than for hospital insurance. Between urban and rural-nonfarm areas there was no real difference in the over-all proportion covered by these two types of insurance.

The rates of coverage in the urban and the rural-nonfarm areas were similar. However, the rates for persons living on farms were lower in every age group than they were in the other two areas. For this reason all of the detailed tables show the rates for farm and nonfarm areas separately.

Region

The industrial, highly urbanized Northeast had the highest proportion of the population covered by hospital insurance (75.2 percent). In the North Central region the rate of coverage was almost as high for hospital insurance (73.9 percent), and there was no real difference between these two regions in the over-all rates for surgical and doctor visit insurance. The detailed tables, which show the rates by age and sex, indicate some shifts in the age-specific rates, but in general the extent of coverage in these two regions was similar.

In the South, coverage rates for all of the three types of health insurance were low. Rates for hospital insurance coverage for persons aged 25 and over were only slightly lower in the South than they were in the West, but the proportion of persons under 25 years of age with hospital insurance, and the proportion of the total population with surgical or doctor visit insurance was considerably lower in the South than in any other region.

The proportion of the population in the West covered by each of the specified types of health insurance presented an interesting variation. Coverage for hospital insurance was lower than the national rate. Coverage for surgical insurance, while generally lower than the national rate, was much closer than coverage for hospital insurance and in the age group 45-54 was actually higher. However, coverage for doctor visits was much higher than the national rate and for certain age groups it was twice as high as the coverage in any other region. A possible explanation for this is that there are more of the comprehensive types of plans in the West which provide for complete medical care, including doctor visits, than in other regions. There are additional data on this point in Section II of this report.

Family Income

The income used to classify the population is the income of the family (if the person lives in the same household as other persons related to him) or the income of the individual (if the person lives alone or with other persons who are not related to him). Since an estimated 93.5 percent of the population live with persons to whom they are related by blood, marriage, or adoption, the income is generally the income of a multiperson family.

Although 14.9 percent of the U. S. population had an annual family income of less than \$2,000, only 7.4 percent of the persons with hospital insurance were in this income group (table D). The next higher income group, \$2,000-3,999 per year, contained 20.5 percent of the population and 16.9 percent of the persons with hospital insurance. These two low-income groups, which contained over a third of the total population (35.4 percent), had about a fourth of the population with hospital insurance (24.3 percent).

The percentage of the population in each income group covered by hospital insurance shows the same situation in a different fashion. Only 33.1 percent of the persons in the lowest family income group were covered by hospital insurance. In the \$2,000-3,999 category 56.0 percent were covered. In the \$4,000-6,999 group, which contained 35.6 percent of the U. S. population, 78.9 percent were covered. In the highest family in-

Table D. Percent distribution of the total population and the insured populations by family income: United States, July-December 1959

Family income	U. S. total	Persons with insurance		
		Hospital	Surgical	Doctor visit
All incomes-----	100.0	100.0	100.0	100.0
0-\$1,999-----	14.9	7.4	6.6	7.0
\$2,000-3,999-----	20.5	16.9	16.2	14.8
\$4,000-6,999-----	35.6	42.1	43.1	40.6
\$7,000+-----	21.4	27.4	28.4	31.4
Unknown-----	7.6	6.2	5.7	6.3

come group, \$7,000 or more per year, 84.5 percent were covered by hospital insurance.

Part of the difference among the four family income groups in the proportion covered could be related to the different age distributions within the income groups. Some 22.6 percent of the persons in the lowest income category, less than \$2,000 per year, were 65 years of age or over, while 4.4 percent of those in the highest group, \$7,000 or more per year, were in this age bracket. However, the differences among the age distributions within the income groups do not account for the differences in coverage among the income groups, as can be seen from table E. The

Table E. Percent of persons with hospital insurance by family income: Unadjusted and adjusted for age: United States, July-December 1959

Family income	Unadjusted	Adjusted for age
U. S. total-	67.1	...
0-\$1,999-----	33.1	32.5
\$2,000-3,999----	56.0	56.1
\$4,000-6,999----	78.9	77.5
\$7,000+-----	84.5	83.0
Unknown-----	58.1	58.3

age-adjusted rates for hospital insurance were almost the same as the unadjusted rates. People in the low income groups were not covered regardless of age.

Major Activity

Although the U. S. National Health Survey collects information as to whether the household members are usually working, keeping house, going to school, etc., the only categories used in this report are usually working and other. This is a useful division since other studies indicate that more health insurance is purchased through groups than individually, and the group is often formed through employment. It should be noted that the usually working population as defined for this report (see Appendix II) is not the population used in official labor force statistics.

As would be expected, usually working persons were more likely to have health insurance than were other persons. About 74.8 percent of the usually working population was covered by hospital insurance as contrasted with 62.9 percent of the others. However, the "other" group was heavily weighted by the 55 million persons under the age of 15 who were not eligible to be members of the usually working population but who were often covered under plans carried by their parents. When only persons age 15 or over are considered, the percentage of the "other" group covered by hospital insurance drops to 59.6 percent.

Even after persons under 15 years of age were excluded from the population, there was a large difference in the age distribution of the usually working and other groups. This suggests the possibility that differences in hospital insurance coverage were due to differences in the age distributions. Again, age-adjusted rates give an indication of whether this is so. As shown in table F, the age-adjustment for persons age 15 years or over reduced the difference in rates of coverage between the usually employed and other

Table F. Percent of persons with hospital insurance by sex and major activity: Unadjusted and adjusted for age: United States, July-December 1959

Sex and major activity	Unadjusted		Adjusted for age
	All ages	Age 15+	Age 15+
<u>Both sexes</u>			
Usually working-----	74.8	74.8	72.3
Other-----	62.9	59.6	62.1
<u>Male</u>			
Usually working-----	74.0	74.0	71.1
Other-----	62.0	52.1	43.3
<u>Female</u>			
Usually working-----	76.8	76.8	74.9
Other-----	63.5	62.0	63.3

groups, but the difference was still 10 percentage points.

Although the rate of coverage for hospital insurance was higher for females than for males within each of the major activity groups shown here, in the total population the rate of coverage was higher for males. The reason for this reversal in rates is that proportionally fewer females than males are in the usually working population with its high rate of coverage.

Family Status

The data processing channels of the U. S. National Health Survey were not designed to collect information about family units. Household members are classified, however, according to their relationship to the head of the household or family. Out of the variety of relationships and interrelationships which exist in households, three have been selected as having a bearing on health insurance coverage. The three are: heads of the families, other family members, and individuals. The head of the family is the person named as head by the respondent in answer to the interviewer's question, with the exception that no married woman with a husband living in the same household can be the head of the family unless the husband is a member of the Armed Forces. Other family members are all persons living in the same household who are related to the head of the family by blood, marriage, or adoption. Individuals are persons who either live alone or with persons to whom they are not related.

Heads of families had a higher rate of coverage (69.9 percent) for hospitalization than other family members (66.9 percent). Family members in general were more likely to be covered than individuals (58.4 percent).

It seemed possible that differences in the age distribution accounted for part of the differences in the rates. Almost all of the children are classified as other family members since children cannot be heads of families and are only rarely living alone or with people not related to them. Even after children under the age of 15 are excluded to make the groups more comparable, individuals tend to be older than family members. Therefore, age-adjusted rates were computed for the population 15 years of age and over. These rates are shown in table G.

The rates of coverage by family status were reversed for males and females. Males aged 15 or over who were not family heads were much less likely to be covered for hospital insurance than males who were family heads. Females aged 15 or over who were not family heads were much more likely to be covered for hospital insurance than females who were family heads. It is true that some of the female family heads were women who were married to members of the Armed Forces and thus covered by Medicare, which is not considered as health insurance in this report. However, the proportion of the 4.9 million female heads of families who were covered by Medicare was not large enough to substantially affect the rates.

Table G. Percent of persons with hospital insurance by sex and family status: Unadjusted and adjusted for age: United States, July-December 1959

Sex and family status	Unadjusted		Adjusted for age
	All ages	Age 15+	Age 15+
<u>Both sexes</u>			
Heads of families-----	69.9	69.9	68.0
Other family members-----	66.9	67.3	67.0
Individuals-----	58.4	58.2	63.5
<u>Male</u>			
Heads of families-----	73.1	73.1	72.0
Other family members-----	64.1	56.8	51.3
Individuals-----	57.3	57.2	60.6
<u>Female</u>			
Heads of families-----	44.8	44.8	41.4
Other family members-----	68.3	69.6	68.4
Individuals-----	59.1	59.0	64.8

Chronic Activity Limitation

Although two thirds of the U. S. population was covered by hospital insurance, only half of those limited in their major activity and one third of those unable to carry on their major activity had such coverage. Persons with one or more chronic conditions but with no activity limitation had a higher rate of coverage for both hospital and surgical insurance than persons with no chronic conditions. This could be due to a difference in age distribution, a tendency to acquire

health insurance after a condition was discovered but before it caused activity limitation, or the discovery of a chronic condition through more frequent use of medical services after health insurance was acquired. It is impossible to make any assumptions about the latter two reasons on the basis of these data. It is possible, however, to say that differences in age distribution alone do not account for the difference in rates.

After these data were adjusted for age, coverage was still highest for those with one or more chronic conditions but no activity limitation and

Table H. Percent of persons with hospital insurance by limitation of activity: Unadjusted and adjusted for age: United States, July-December 1959

Limitation of activity	Unadjusted	Adjusted for age
All persons-----	67.1	...
Persons with no chronic conditions-----	67.9	68.0
Persons with 1+ chronic conditions		
No limitation of activity-----	71.5	70.7
Limited in outside activity-----	64.4	67.9
Limited in major activity-----	49.8	58.1
Unable to carry on major activity-----	34.4	41.1

lowest among those who were unable to carry on their major activity (table H). The adjusted rate of coverage was higher than the unadjusted rate for the latter group, but it was still significantly lower than for persons who were not limited in their major activity.

Hospital Utilization

Data on the percentage of persons with and without hospital insurance who were in a short-stay hospital at least once during the 12 months prior to interview are presented in table I. Some 10.2 percent of the persons who had hospital insurance at the time of interview had been hospitalized during the previous 12 months; 7.7 percent of the persons who did not have hospital insurance at the time of interview had been hospitalized during the same time period. However, it was not ascertained whether the coverage was acquired before or after hospitalization for those persons who had been hospitalized.

Hospital utilization by insured and uninsured persons varied appreciably with age. The relative difference between persons with and without hospital insurance with respect to the proportion hospitalized was much less in the age groups 15-34 than at other ages. The rates were particularly dissimilar for persons aged 65 or over

Table I. Percent of persons with one or more short-stay hospital episodes during past 12 months according to hospital insurance coverage by age: United States, July-December 1959

Age	Persons with no hospital insurance	Persons with hospital insurance
All ages-	7.7	10.2
0-14-----	3.9	5.9
15-24-----	11.9	13.9
25-34-----	14.4	14.4
35-44-----	8.0	11.2
45-54-----	6.9	9.8
55-64-----	6.8	9.8
65+-----	8.2	13.7

where 8.2 percent of those without hospital insurance and 13.7 percent of those with hospital insurance had been hospitalized within the year.

PART II

TYPE OF INSURING ORGANIZATION

There are many organizations offering health insurance in the United States today. These organizations can be roughly divided into three types. Among the best known are the Blue Cross-Blue Shield Plans, which are often called service plans because the hospital or physician is paid by the insurer rather than by the insured person for the services provided. The second type is the private insurance company which sells health insurance in much the same manner as life insurance is sold. There are approximately 700 such companies in the United States today and there is great variability in the kind and completeness of coverage which they sell. The third type of insuring organization is the independent prepaid comprehensive plan. There are differences among these plans but in general their aim is to provide complete medical care, including all three kinds of coverage discussed in this report.

In coding the U. S. National Health Survey data, the responses were divided into Blue Plans and other. The Blue Cross Guide published by the Blue Cross Commission was used to determine which responses were to be classified as

Blue Plans. The other category was not subdivided because of difficulties in making accurate classifications.

It is possible that in a few cases respondents gave the name of a union, employee association, or other group through which they paid their premiums rather than the name of the insuring organization. In such cases the responses were classified as other than Blue Plans and result in an underestimate of the proportion covered by Blue Plans.

Figure 1 shows the percentage of the population covered by Blue Plans and by other types of insuring organizations. Some 31 percent were covered for hospital expense by Blue Plans and 40 percent by other types of insurance. Each estimate includes 5 percent who were covered by both. For surgical expenses, 28 percent had Blue Shield and 38 percent had other types of insurance. Approximately 6 percent of the population was covered by Blue Shield for doctor visits at home or at the office and 17 percent by other types of insurance.

Distribution by Selected Population Groups

Of those persons who were covered by hospital insurance, less than half (46.4 percent) were covered by Blue Plans. Some of these, 7.4 percent of those with insurance, were covered by other types of insuring organizations as well as by a Blue Plan. Other insuring organizations covered 59.8 percent of the population including the 7.4 percent with duplicate coverage (table J).

The proportion covered by each type of insuring organization did not change greatly with age, sex, or major activity. There were, however, large differences in the proportions among the geographic regions. Although only 44.6 percent of those covered by hospital insurance in the Northeast had coverage under non-Blue Plans, 77.9 percent in the West had coverage under such plans. There was also a change in the percentage with coverage under both types of insuring organization. In the Northeast 10.0 percent of these with hospital insurance had duplicate coverage while in the West only 4.3 percent of the insured population was covered by both a Blue Plan and another type of insurer.

As shown in table K, the pattern of coverage for those persons with surgical insurance was




Table J. Percent distribution of persons with hospital insurance according to type of insuring organization and demographic characteristics: United States, July-December 1959

Characteristic	All persons with hospital insurance	Type of insuring organization			
		Blue Plan only	Blue Plan and other	Other	Unknown type (*)
Total-----	100.0	39.0	7.4	52.4	1.2
<u>Sex</u>					
Male-----	100.0	38.2	7.6	53.0	1.2
Female-----	100.0	39.7	7.2	51.8	1.3
<u>Age</u>					
0-14-----	100.0	39.5	6.0	53.2	1.3
15-24-----	100.0	36.7	7.0	54.4	1.9
25-34-----	100.0	37.6	6.8	54.5	1.1
35-44-----	100.0	39.3	8.3	51.5	0.9
45-54-----	100.0	38.1	9.0	51.8	1.0
55-64-----	100.0	40.6	9.9	48.5	1.0
65+-----	100.0	42.7	7.4	48.6	1.3
<u>Region</u>					
Northeast-----	100.0	54.5	10.0	34.6	1.0
North Central-----	100.0	41.7	7.5	49.8	1.1
South-----	100.0	27.4	6.0	65.0	1.7
West-----	100.0	20.7	4.3	73.6	1.3
<u>Residence</u>					
Urban-----	100.0	42.4	8.5	47.7	1.3
Rural nonfarm-----	100.0	33.6	5.8	59.9	0.7
Rural farm-----	100.0	31.0	4.2	63.0	1.9
<u>Family income</u>					
0-\$1,999-----	100.0	31.9	6.3	59.0	2.8
\$2,000-3,999-----	100.0	36.5	5.4	56.9	1.2
\$4,000-6,999-----	100.0	40.0	7.0	51.9	1.1
\$7,000+-----	100.0	40.0	10.0	49.0	0.9
Unknown-----	100.0	42.9	5.4	50.1	1.6
<u>Major activity</u>					
Usually working-17+-----	100.0	37.9	9.1	51.8	1.1
Other-----	100.0	39.7	6.3	52.7	1.3

similar to that for persons with hospital insurance. There was a slight shift toward a larger proportion being covered by non-Blue Plans, and a smaller proportion had duplicate coverage, but the pattern according to age, sex, geographic,

and income variables was similar to that for hospital insurance.

The distribution of persons with insurance for doctor visits according to type of insuring organization is unlike that for the other two kinds

Table K. Percent distribution of persons with surgical insurance according to type of insuring organization and demographic characteristics: United States, July-December 1959

Characteristic	All persons with surgical insurance	Type of insuring organization			
		Blue Plan only	Blue Plan and other	Other	Unknown type (*)
Total-----	100.0	37.6	6.9	54.1	1.3
<u>Sex</u>					
Male-----	100.0	37.0	7.1	54.7	1.3
Female-----	100.0	38.3	6.8	53.5	1.4
<u>Age</u>					
0-14-----	100.0	38.1	5.5	55.0	1.4
15-24-----	100.0	35.5	7.1	55.5	1.9
25-34-----	100.0	37.1	6.1	55.5	1.3
35-44-----	100.0	37.7	7.4	53.9	1.0
45-54-----	100.0	36.9	8.5	53.4	1.2
55-64-----	100.0	39.7	9.4	49.7	1.2
65+-----	100.0	39.7	8.2	50.6	1.5
<u>Region</u>					
Northeast-----	100.0	52.6	9.0	37.5	1.0
North Central-----	100.0	40.4	7.0	51.5	1.1
South-----	100.0	26.6	6.0	65.4	2.0
West-----	100.0	20.5	4.4	73.6	1.5
<u>Residence</u>					
Urban-----	100.0	40.7	7.8	50.1	1.4
Rural nonfarm-----	100.0	33.1	5.7	60.2	0.9
Rural farm-----	100.0	29.8	4.2	63.8	2.2
<u>Family income</u>					
0-\$1,999-----	100.0	31.6	6.8	58.8	2.8
\$2,000-3,999-----	100.0	35.2	5.7	57.8	1.3
\$4,000-6,999-----	100.0	38.8	6.1	53.9	1.2
\$7,000+-----	100.0	38.1	9.3	51.5	1.1
Unknown-----	100.0	40.6	5.1	52.5	1.8
<u>Major activity</u>					
Usually working-17+-----	100.0	37.2	8.6	53.0	1.2
Other-----	100.0	38.0	5.9	54.8	1.4

of insurance and is more difficult to evaluate. Since only 19.3 percent of the population was reported to have such insurance, the sampling error on these estimates is relatively large. Also, the proportion of persons with doctor visit insur-

ance who did not know the type of insuring organization was relatively large. The proportion who did not know was especially high among old persons, those in the South, those in rural-farm areas, and those in the lowest income group.

Table L. Percent distribution of persons with doctor visit insurance according to type of insuring organization and demographic characteristics: United States, July-December 1959

Characteristic	All persons with doctor visit insurance	Type of insuring organization			
		Blue Plan only	Blue Plan and other	Other	Unknown type (*)
Total-----	100.0	19.8	2.5	73.9	3.8
<u>Sex</u>					
Male-----	100.0	19.1	2.5	74.8	3.6
Female-----	100.0	20.6	2.6	72.9	4.0
<u>Age</u>					
0-14-----	100.0	20.8	2.1	73.7	3.4
15-24-----	100.0	20.1	3.4	72.6	3.9
25-34-----	100.0	20.8	2.2	73.3	3.7
35-44-----	100.0	20.6	2.5	73.7	3.2
45-54-----	100.0	18.2	2.9	74.6	4.3
55-64-----	100.0	15.5	2.8	78.0	3.7
65+-----	100.0	18.8	2.8	71.8	6.7
<u>Region</u>					
Northeast-----	100.0	30.6	3.4	62.1	3.9
North Central-----	100.0	21.1	3.0	72.6	3.2
South-----	100.0	13.0	1.7	80.2	5.2
West-----	100.0	13.6	1.8	81.6	3.0
<u>Residence</u>					
Urban-----	100.0	20.8	2.6	72.7	3.9
Rural nonfarm-----	100.0	17.7	2.8	76.8	2.7
Rural farm-----	100.0	19.6	0.6	73.0	6.8
<u>Family income</u>					
0-\$1,999-----	100.0	14.4	4.0	75.9	5.7
\$2,000-3,999-----	100.0	19.0	1.9	75.6	3.6
\$4,000-6,999-----	100.0	21.1	2.3	72.0	4.5
\$7,000+-----	100.0	19.5	2.6	75.2	2.7
Unknown-----	100.0	21.2	2.8	73.4	2.5
<u>Major activity</u>					
Usually working-17+-----	100.0	19.7	2.8	73.7	3.8
Other-----	100.0	19.9	2.3	74.0	3.7

However, even allowing for the effects of these two factors, it is obvious, as shown in table L, that approximately three fourths of those with insurance for doctor visits were covered by non-Blue Plans. The only significant variation was

with region, and this is consistent with the variation in the other two kinds of insurance and also with what would be expected from the population coverage data presented in Part I of this report.

DETAILED TABLES

RESIDENCE AND REGION

	Page
Table 1. Percent of persons with hospital insurance according to residence by sex and age: United States, July-December 1959-----	18
2. Percent of persons with surgical insurance according to residence by sex and age: United States, July-December 1959-----	19
3. Percent of persons with doctor visit insurance according to residence by sex and age: United States, July-December 1959-----	20
4. Percent of persons with hospital insurance according to region by sex and age: United States, July-December 1959-----	21
5. Percent of persons with surgical insurance according to region by sex and age: United States, July-December 1959-----	22
6. Percent of persons with doctor visit insurance according to region by sex and age: United States, July-December 1959-----	23

FAMILY CHARACTERISTICS

7. Percent of persons with hospital insurance according to family income by sex and age: United States, July-December 1959-----	24
8. Percent of persons with surgical insurance according to family income by sex and age: United States, July-December 1959-----	25
9. Percent of persons with doctor visit insurance according to family income by sex and age: United States, July-December 1959-----	26
10. Percent of persons with hospital insurance according to major activity and according to family status by sex and age: United States, July-December 1959-----	27
11. Percent of persons with hospital insurance according to family status and major activity by sex and age: United States, July-December 1959-----	28
12. Percent of persons with surgical insurance according to major activity and according to family status by sex and age: United States, July-December 1959-----	29
13. Percent of persons with surgical insurance according to family status and major activity by sex and age: United States, July-December 1959-----	30
14. Percent of persons with doctor visit insurance according to major activity and according to family status by sex and age: United States, July-December 1959----	31

HEALTH CHARACTERISTICS

15. Percent of persons with hospital insurance according to chronic limitation of activity by sex and age: United States, July-December 1959-----	32
16. Percent of persons with surgical insurance according to chronic limitation of activity by sex and age: United States, July-December 1959-----	33
17. Percent of persons with doctor visit insurance according to chronic limitation of activity by sex and age: United States, July-December 1959-----	34
18. Percent distribution of persons according to whether they had hospital insurance and according to whether they were hospitalized in a short-stay hospital during the previous 12 months by sex and age: United States, July-December 1959-	35

DETAILED TABLES—Continued

TYPE OF INSURING ORGANIZATION

	Page
Table 19. Percent distribution of persons according to whether they had hospital insurance and type of insuring organization by sex and age: United States, July-December 1959-----	36
20. Percent distribution of persons according to whether they had hospital insurance and type of insuring organization by residence and age: United States, July-December 1959-----	37
21. Percent distribution of persons according to whether they had hospital insurance and type of insuring organization by region and age: United States, July-December 1959-----	38
22. Percent distribution of persons according to whether they had hospital insurance and type of insuring organization by family income and age: United States, July-December 1959-----	39
23. Percent distribution of persons according to whether they had hospital insurance and type of insuring organization by major activity and age: United States, July-December 1959-----	40
24. Percent distribution of persons according to whether they had surgical insurance and type of insuring organization by sex and age: United States, July-December 1959-----	41
25. Percent distribution of persons according to whether they had surgical insurance and type of insuring organization by residence and age: United States, July-December 1959-----	42
26. Percent distribution of persons according to whether they had surgical insurance and type of insuring organization by region and age: United States, July-December 1959-----	43
27. Percent distribution of persons according to whether they had surgical insurance and type of insuring organization by family income and age: United States, July-December 1959-----	44
28. Percent distribution of persons according to whether they had surgical insurance and type of insuring organization by major activity and age: United States, July-December 1959-----	45
29. Percent distribution of persons according to whether they had doctor visit insurance and type of insuring organization by selected characteristics: United States, July-December 1959-----	46

DETAILED TABLES—Continued

POPULATION TABLES

	Page
Table 30. Average population during the six-month period covered in this report by sex and age: United States, July-December 1959-----	47
31. Population used in computing sampling errors according to residence by sex and age: United States, July-December 1959-----	48
32. Population used in computing sampling errors according to region by sex and age: United States, July-December 1959-----	49
33. Population used in computing sampling errors according to family income by sex and age: United States, July-December 1959-----	50
34. Population used in computing sampling errors according to major activity and according to family status by sex and age: United States, July-December 1959-----	51
35. Population used in computing sampling errors according to family status and major activity by sex and age: United States, July-December 1959-----	52
36. Population used in computing sampling errors according to chronic limitation of activity by sex and age: United States, July-December 1959-----	53

Table 1. Percent of persons with hospital insurance according to residence by sex and age:
United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	U.S. total	Residence			
		Urban	Rural		
			Total	Nonfarm	Farm
<u>Both sexes</u>					
All ages-----	67.1	71.5	60.5	68.0	45.0
0-14-----	66.5	70.8	61.3	69.1	43.9
15-24-----	63.4	68.4	55.2	62.6	43.1
25-34-----	72.8	75.8	68.4	74.0	50.5
35-44-----	74.5	78.4	68.6	75.0	53.6
45-54-----	74.4	79.3	65.6	73.2	50.8
55-64-----	67.3	73.1	56.2	64.3	44.1
65-74-----	53.2	58.6	43.5	49.3	34.1
75+-----	32.5	37.6	23.3	27.1	15.7
<u>Male</u>					
All ages-----	68.1	72.8	61.3	69.1	45.7
0-14-----	67.1	71.3	62.2	69.6	45.8
15-24-----	63.7	69.0	55.2	62.3	44.9
25-34-----	73.3	75.7	69.7	76.3	50.4
35-44-----	75.9	80.1	69.9	76.6	54.0
45-54-----	75.2	80.7	65.8	75.1	49.3
55-64-----	68.4	74.8	56.9	66.0	43.5
65-74-----	54.6	61.4	43.8	50.4	34.5
75+-----	34.2	40.0	25.5	29.1	19.3
<u>Female</u>					
All ages-----	66.3	70.4	59.7	66.8	44.2
0-14-----	65.9	70.3	60.3	68.7	41.9
15-24-----	63.1	67.9	55.1	62.8	41.4
25-34-----	72.3	76.0	67.2	72.1	50.5
35-44-----	73.2	76.9	67.3	73.4	53.2
45-54-----	73.7	78.0	65.3	71.2	52.6
55-64-----	66.4	71.6	55.5	62.6	44.9
65-74-----	52.1	56.3	43.2	48.2	33.5
75+-----	31.3	36.0	21.1	25.2	11.6

Table 2. Percent of persons with surgical insurance according to residence by sex and age:
United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	U. S. total	Residence			
		Urban	Rural		
			Total	Nonfarm	Farm
<u>Both sexes</u>					
All ages-----	62.0	65.7	56.4	64.1	40.3
0-14-----	62.4	66.2	57.8	66.2	39.1
15-24-----	58.8	63.4	51.1	58.3	39.2
25-34-----	69.3	72.1	65.3	71.4	45.7
35-44-----	69.7	72.7	65.2	71.8	49.5
45-54-----	67.9	72.2	60.2	67.7	45.5
55-64-----	60.2	65.6	49.8	57.9	37.6
65-74-----	44.2	48.1	37.2	42.1	29.4
75+-----	23.6	26.9	17.5	19.8	13.0
<u>Male</u>					
All ages-----	63.1	67.2	57.2	65.2	41.1
0-14-----	62.8	66.5	58.6	66.4	41.1
15-24-----	58.4	63.2	50.6	57.2	40.8
25-34-----	69.8	71.9	66.6	73.9	45.3
35-44-----	71.6	74.8	67.0	73.9	50.6
45-54-----	69.1	74.1	60.5	69.6	44.5
55-64-----	61.4	67.9	50.0	59.0	36.9
65-74-----	47.2	53.0	38.1	43.7	30.1
75+-----	26.6	31.3	19.6	22.3	14.7
<u>Female</u>					
All ages-----	61.0	64.3	55.6	63.0	39.3
0-14-----	62.0	66.0	57.0	65.9	36.9
15-24-----	59.1	63.6	51.5	59.3	37.6
25-34-----	68.8	72.2	64.1	69.3	46.0
35-44-----	67.9	70.8	63.3	69.7	48.4
45-54-----	66.9	70.5	59.8	65.9	46.7
55-64-----	59.1	63.6	49.6	56.8	38.3
65-74-----	41.7	44.3	36.4	40.5	28.4
75+-----	21.2	23.9	15.5	17.7	10.8

Table 3. Percent of persons with doctor visit insurance according to residence by sex and age:
United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV.]

Sex and age	U. S. total	Residence			
		Urban	Rural		
			Total	Nonfarm	Farm
<u>Both sexes</u>					
All ages-----	19.3	20.3	17.8	20.5	12.3
0-14-----	18.7	20.0	17.1	20.0	10.7
15-24-----	19.0	19.8	17.8	20.4	13.6
25-34-----	22.8	23.7	21.7	24.3	13.2
35-44-----	22.6	23.6	21.0	23.6	14.9
45-54-----	21.7	22.5	20.2	22.6	15.6
55-64-----	18.4	20.0	15.3	17.4	12.1
65+-----	10.2	10.8	9.1	10.0	7.6
<u>Male</u>					
All ages-----	20.6	21.8	18.8	21.6	13.1
0-14-----	18.6	19.9	17.0	19.9	10.7
15-24-----	20.0	21.6	17.5	19.0	15.3
25-34-----	24.6	25.1	23.9	26.9	15.3
35-44-----	24.4	25.4	23.0	26.3	15.1
45-54-----	24.5	25.0	23.6	27.0	17.6
55-64-----	20.7	23.3	16.1	17.9	13.4
65+-----	11.2	12.2	9.8	10.8	8.3
<u>Female</u>					
All ages-----	18.2	19.0	16.9	19.5	11.4
0-14-----	18.8	20.0	17.3	20.2	10.8
15-24-----	18.2	18.2	18.1	21.5	11.8
25-34-----	21.2	22.3	19.6	22.0	11.3
35-44-----	20.9	22.1	19.0	20.8	14.7
45-54-----	19.0	20.2	16.6	18.2	13.0
55-64-----	16.2	17.1	14.5	16.9	10.7
65+-----	9.3	9.8	8.4	9.3	6.8

Table 4. Percent of persons with hospital insurance according to region by sex and age:
United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV.]

Sex and age	U.S. total	Region			
		North- east	North Central	South	West
<u>Both sexes</u>					
All ages-----	67.1	75.2	73.9	56.1	61.6
0-14-----	66.5	77.3	74.7	53.2	60.4
15-24-----	63.4	71.4	71.3	51.3	60.2
25-34-----	72.8	79.3	79.8	64.3	64.5
35-44-----	74.5	82.3	79.1	64.9	68.4
45-54-----	74.4	81.0	79.2	64.1	73.1
55-64-----	67.3	76.8	73.0	55.6	59.6
65-74-----	53.2	58.4	60.9	43.8	44.0
75+-----	32.5	32.3	36.9	29.6	30.1
<u>Male</u>					
All ages-----	68.1	76.5	74.1	56.9	62.9
0-14-----	67.1	78.4	74.5	53.7	61.5
15-24-----	63.7	71.1	70.3	51.6	61.7
25-34-----	73.3	79.3	79.6	64.6	67.1
35-44-----	75.9	83.2	80.3	67.8	68.3
45-54-----	75.2	80.6	79.4	65.7	74.8
55-64-----	68.4	78.9	73.8	54.8	61.0
65-74-----	54.6	63.7	60.8	43.5	42.9
75+-----	34.2	34.4	36.5	32.4	32.6
<u>Female</u>					
All ages-----	66.3	74.0	73.7	55.3	60.4
0-14-----	65.9	76.2	74.9	52.7	59.3
15-24-----	63.1	71.7	72.2	51.0	58.9
25-34-----	72.3	79.3	80.0	64.0	62.3
35-44-----	73.2	81.5	78.0	62.3	68.4
45-54-----	73.7	81.4	79.0	62.7	71.3
55-64-----	66.4	74.8	72.2	56.2	58.1
65-74-----	52.1	53.8	61.1	44.1	45.0
75+-----	31.3	30.8	37.2	27.5	27.8

Table 5. Percent of persons with surgical insurance according to region by sex and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	U. S. total	Region			
		North- east	North Central	South	West
<u>Both sexes</u>					
All ages-----	62.0	67.9	68.5	51.2	59.9
0-14-----	62.4	71.4	70.2	49.3	59.4
15-24-----	58.8	65.0	66.6	46.8	58.3
25-34-----	69.3	74.7	75.3	61.0	64.0
35-44-----	69.7	74.9	74.5	60.4	67.0
45-54-----	67.9	73.9	71.2	57.4	71.0
55-64-----	60.2	66.6	66.8	48.6	56.6
65-74-----	44.2	44.3	52.9	36.8	40.4
75+-----	23.6	18.9	27.9	22.8	25.2
<u>Male</u>					
All ages-----	63.1	69.4	68.8	52.2	61.2
0-14-----	62.8	72.3	69.9	49.6	60.2
15-24-----	58.4	63.7	64.9	46.4	60.3
25-34-----	69.8	74.5	75.1	61.8	66.6
35-44-----	71.6	76.7	76.2	63.7	66.9
45-54-----	69.1	74.3	71.8	58.9	72.8
55-64-----	61.4	69.0	67.6	48.1	57.8
65-74-----	47.2	51.2	54.9	37.3	41.1
75+-----	26.6	24.1	28.3	28.0	25.3
<u>Female</u>					
All ages-----	61.0	66.4	68.2	50.3	58.8
0-14-----	62.0	70.5	70.5	49.0	58.6
15-24-----	59.1	66.3	68.3	47.1	56.6
25-34-----	68.8	75.0	75.6	60.2	61.8
35-44-----	67.9	73.2	72.9	57.5	67.2
45-54-----	66.9	73.5	70.6	55.9	69.4
55-64-----	59.1	64.5	65.9	49.0	55.2
65-74-----	41.7	38.2	51.0	36.3	39.8
75+-----	21.2	15.5	27.5	18.8	25.1

Table 6. Percent of persons with doctor visit insurance according to region by sex and age:
United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	U. S. total	Region			
		North- east	North Central	South	West
<u>Both sexes</u>					
All ages-----	19.3	18.4	18.5	14.4	32.4
0-14-----	18.7	19.2	19.1	12.5	29.5
15-24-----	19.0	16.0	20.4	14.5	31.6
25-34-----	22.8	21.7	21.8	18.4	35.6
35-44-----	22.6	21.9	19.9	16.7	39.6
45-54-----	21.7	20.1	17.5	16.3	42.6
55-64-----	18.4	19.3	16.1	14.0	31.0
65+-----	10.2	7.1	10.5	10.4	15.3
<u>Male</u>					
All ages-----	20.6	19.7	19.2	15.1	35.3
0-14-----	18.6	19.8	17.8	12.6	30.3
15-24-----	20.0	14.1	24.7	14.5	32.4
25-34-----	24.6	23.4	22.4	19.8	40.6
35-44-----	24.4	23.2	20.9	18.2	44.1
45-54-----	24.5	22.6	19.3	17.4	50.5
55-64-----	20.7	22.8	16.6	16.0	34.2
65+-----	11.2	8.6	12.0	10.9	15.5
<u>Female</u>					
All ages-----	18.2	17.3	17.8	13.8	29.6
0-14-----	18.8	18.5	20.5	12.3	28.7
15-24-----	18.2	17.8	16.4	14.6	30.8
25-34-----	21.2	20.2	21.2	17.0	31.0
35-44-----	20.9	20.7	18.8	15.3	35.3
45-54-----	19.0	17.7	15.6	15.4	34.8
55-64-----	16.2	16.2	15.6	12.3	27.4
65+-----	9.3	5.9	9.3	10.1	15.2

Table 7. Percent of persons with hospital insurance according to family income by sex and age:
United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV.]

Sex and age	U.S. total	Family income				
		0-\$1,999	\$2,000- 3,999	\$4,000- 6,999	\$7,000+	Unknown
<u>Both sexes</u>						
All ages-----	67.1	33.1	56.0	78.9	84.5	58.1
0-14-----	66.5	23.5	50.5	78.9	85.1	56.7
15-24-----	63.4	41.5	54.3	73.0	80.9	53.2
25-34-----	72.8	36.5	57.8	82.0	85.4	58.5
35-44-----	74.5	32.5	58.7	82.3	87.8	64.9
45-54-----	74.4	37.0	63.8	82.9	88.7	67.6
55-64-----	67.3	38.4	65.4	78.8	84.5	63.6
65-74-----	53.2	37.5	59.6	69.0	69.8	49.4
75+-----	32.5	26.6	39.2	36.2	39.2	32.7
<u>Male</u>						
All ages-----	68.1	32.4	55.5	79.7	85.2	58.7
0-14-----	67.1	24.4	50.6	79.5	86.0	57.0
15-24-----	63.7	45.6	55.3	73.0	78.9	51.2
25-34-----	73.3	37.5	59.1	82.4	85.2	59.6
35-44-----	75.9	35.2	58.8	83.2	88.3	63.3
45-54-----	75.2	32.7	59.5	83.1	90.0	67.6
55-64-----	68.4	29.4	63.2	79.6	85.9	64.1
65-74-----	54.6	36.1	57.5	72.5	75.3	51.1
75+-----	34.2	23.7	45.3	47.6	36.1	37.9
<u>Female</u>						
All ages-----	66.3	33.8	56.4	78.0	83.8	57.7
0-14-----	65.9	22.6	50.4	78.4	84.1	56.4
15-24-----	63.1	37.4	53.6	73.0	82.7	55.0
25-34-----	72.3	35.5	56.6	81.6	85.7	57.2
35-44-----	73.2	30.4	58.5	81.3	87.5	66.2
45-54-----	73.7	39.8	67.5	82.6	87.3	67.5
55-64-----	66.4	43.6	67.2	78.0	82.7	63.2
65-74-----	52.1	38.5	61.8	65.7	64.6	48.2
75+-----	31.3	28.9	33.5	28.7	41.6	30.4

Percent of persons with surgical insurance according to family income by sex and age:
United States, July-December 1959

based on household interviews of the civilian noninstitutional population. The survey design, general qual-
ns, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II.
ption of the special methods for data on health insurance is given in Appendix IV]

Sex and age	U. S. total	Family income				
		0- \$1,999	\$2,000- 3,999	\$4,000- 6,999	\$7,000+	Unknown
<u>Both sexes</u>						
ages-----	62.0	27.4	50.0	74.2	79.6	52.0
-----	62.4	20.2	44.9	75.5	80.6	52.0
-----	58.8	35.2	50.0	68.3	76.5	49.7
-----	69.3	33.0	53.4	78.4	82.4	53.9
-----	69.7	27.9	52.8	77.9	83.6	55.5
-----	67.9	29.4	55.9	76.9	82.7	61.3
-----	60.2	32.2	57.8	70.4	78.3	58.1
-----	44.2	30.0	50.5	57.3	59.3	41.5
-----	23.6	17.5	33.2	25.7	29.8	20.6
<u>Male</u>						
ages-----	63.1	27.4	49.9	75.0	80.1	52.9
-----	62.8	20.5	45.5	75.9	80.7	52.7
-----	58.4	40.3	49.7	67.6	73.8	45.6
-----	69.8	34.1	55.3	78.7	82.0	55.4
-----	71.6	31.5	52.8	79.4	84.5	54.7
-----	69.1	25.5	52.9	77.2	84.2	61.9
-----	61.4	24.4	56.1	71.1	80.4	57.9
-----	47.2	30.3	50.3	61.3	67.5	46.6
-----	26.6	17.8	38.6	39.3	25.2	23.7
<u>Female</u>						
ages-----	61.0	27.3	50.1	73.4	79.2	51.3
-----	62.0	19.8	44.3	75.1	80.6	51.1
-----	59.1	30.0	50.3	68.9	78.8	53.2
-----	68.8	32.2	51.6	78.2	82.8	52.2
-----	67.9	25.0	52.8	76.3	82.9	56.2
-----	66.9	31.9	58.4	76.6	81.1	60.9
-----	59.1	36.9	59.2	69.6	75.9	58.4
-----	41.7	29.8	50.9	53.5	51.4	38.4
-----	21.2	17.2	28.4	16.4	33.4	19.1

Table 9. Percent of persons with doctor visit insurance according to family income by sex and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV.]

Sex and age	U. S. total	Family income				
		0- \$1,999	\$2,000- 3,999	\$4,000- 6,999	\$7,000+	Unknown
<u>Both sexes</u>						
All ages-----	19.3	8.9	14.1	21.9	27.7	17.9
0-14-----	18.7	6.2	11.7	21.2	28.1	17.7
15-24-----	19.0	15.4	15.6	20.2	24.1	18.8
25-34-----	22.8	12.2	14.5	25.4	30.1	18.9
35-44-----	22.6	9.8	15.0	22.5	31.6	19.7
45-54-----	21.7	9.1	18.2	22.7	28.6	19.9
55-64-----	18.4	8.0	15.2	22.5	25.0	21.7
65+-----	10.2	6.6	13.1	13.2	13.0	9.8
<u>Male</u>						
All ages-----	20.6	10.2	14.5	22.8	29.0	19.2
0-14-----	18.6	6.2	11.1	21.0	28.3	17.8
15-24-----	20.0	22.2	16.3	19.7	23.0	18.3
25-34-----	24.6	14.1	17.3	27.0	31.2	21.4
35-44-----	24.4	11.6	15.2	24.7	33.6	18.3
45-54-----	24.5	11.1	19.0	24.7	32.3	22.3
55-64-----	20.7	7.1	14.3	25.2	28.3	23.4
65+-----	11.2	6.0	14.5	14.8	14.4	13.3
<u>Female</u>						
All ages-----	18.2	7.7	13.8	20.9	26.3	16.8
0-14-----	18.8	6.2	12.2	21.4	27.8	17.7
15-24-----	18.2	8.6	15.1	20.7	25.0	19.2
25-34-----	21.2	10.6	11.8	24.0	29.1	16.1
35-44-----	20.9	8.3	14.8	20.2	29.7	20.9
45-54-----	19.0	8.0	17.4	20.6	24.5	17.6
55-64-----	16.2	8.7	15.9	19.2	21.0	19.9
65+-----	9.3	7.1	11.6	11.8	11.7	7.7

10. Percent of persons with hospital insurance according to major activity and according to family status by sex and age: United States, July-December 1959

are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. Description of the special methods for data on health insurance is given in Appendix IV.]

Sex and age	U.S total	Major activity		Family status		
		Usually working (age 17+)	Other	Heads of families	Other family members	Individuals
<u>Both sexes</u>						
All ages-----	67.1	74.8	62.9	69.9	66.9	58.4
-----	66.5	...	66.5	...	66.5	(*)
-----	63.4	63.9	63.2	59.7	63.3	69.3
-----	72.8	75.5	68.6	73.7	72.9	63.7
-----	74.5	78.2	67.7	74.8	74.8	67.9
-----	74.4	78.5	65.9	75.5	74.2	68.9
-----	67.3	75.1	57.0	70.5	65.5	62.0
-----	53.2	66.8	49.1	56.1	52.3	49.0
-----	32.5	47.0	31.2	36.2	29.6	32.0
<u>Male</u>						
All ages-----	68.1	74.0	62.0	73.1	64.1	57.3
-----	67.1	...	67.1	...	67.1	(*)
-----	63.7	60.0	66.1	68.7	60.9	75.4
-----	73.3	75.5	38.5	78.2	50.1	62.3
-----	75.9	78.0	30.7	78.1	54.6	64.3
-----	75.2	77.3	40.5	77.0	55.5	63.0
-----	68.4	73.3	41.2	71.4	42.6	50.0
-----	54.6	64.6	48.6	57.3	42.2	44.6
-----	34.2	46.7	31.6	39.1	26.2	25.6
<u>Female</u>						
All ages-----	66.3	76.8	63.5	44.8	68.3	59.1
-----	65.9	...	65.9	...	65.8	(*)
-----	63.1	68.9	61.0	18.3	65.0	61.1
-----	72.3	75.3	71.1	29.9	76.1	66.2
-----	73.2	78.9	70.0	44.2	76.3	72.0
-----	73.7	80.9	68.4	60.7	75.2	72.7
-----	66.4	79.7	60.2	62.3	66.7	67.5
-----	52.1	73.4	49.4	49.4	53.1	50.8
-----	31.3	(*)	31.0	25.1	30.3	35.1

Table 11. Percent of persons with hospital insurance according to family status and major activity by sex and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV.]

Sex and age	U.S. total	Heads of families		Other family members		Individuals	
		Usually working (age 17+)	Other	Usually working (age 17+)	Other	Usually working (age 17+)	Other
<u>Both sexes</u>							
All ages-----	67.1	76.6	40.4	72.4	65.9	71.1	45.2
0-14-----	66.5	66.5	...	(*)
15-24-----	63.4	67.2	33.0	62.7	63.5	63.3	73.3
25-34-----	72.8	78.1	28.3	71.5	73.7	69.0	37.3
35-44-----	74.5	78.5	27.6	78.3	73.0	74.8	32.4
45-54-----	74.4	78.2	42.0	80.1	70.6	76.1	36.2
55-64-----	67.3	75.9	45.1	74.9	62.3	72.1	44.2
65+-----	46.1	64.2	44.3	60.1	43.2	63.9	37.6
<u>Male</u>							
All ages-----	68.1	77.2	46.6	54.7	65.4	64.7	47.4
0-14-----	67.1	67.1	...	(*)
15-24-----	63.7	68.6	69.7	52.2	64.2	65.3	80.7
25-34-----	73.3	79.1	52.0	55.4	(*)	67.6	(*)
35-44-----	75.9	79.4	36.5	61.4	(*)	70.3	(*)
45-54-----	75.2	78.7	45.4	61.3	(*)	68.6	(*)
55-64-----	68.4	75.5	45.1	48.9	(*)	57.8	(*)
65+-----	47.9	63.5	46.3	(*)	31.5	52.0	31.8
<u>Female</u>							
All ages-----	66.3	67.2	29.2	78.3	66.2	76.7	44.0
0-14-----	65.9	65.8	...	(*)
15-24-----	63.1	(*)	11.0	70.8	63.0	61.5	60.8
25-34-----	72.3	52.6	15.6	78.5	75.3	71.5	(*)
35-44-----	73.2	63.4	22.5	81.4	73.9	80.5	(*)
45-54-----	73.7	72.7	37.5	82.4	71.2	81.2	41.0
55-64-----	66.4	82.2	45.2	78.8	63.1	80.3	48.9
65+-----	44.6	(*)	36.7	66.7	44.6	73.7	40.0

Table 12. Percent of persons with surgical insurance according to major activity and according to family status by sex and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	U. S. total	Major activity		Family status		
		Usually working (age 17+)	Other	Heads of families	Other family members	Indi- viduals
<u>Both sexes</u>						
All ages-----	62.0	69.6	57.9	64.4	62.1	51.1
0-14-----	62.4	...	62.4	...	62.4	(*)
15-24-----	58.8	59.6	58.4	54.9	58.7	65.0
25-34-----	69.3	71.9	65.3	70.8	68.9	60.4
35-44-----	69.7	73.3	63.2	70.4	69.8	61.6
45-54-----	67.9	72.2	59.2	69.3	67.7	61.2
55-64-----	60.2	68.2	49.7	63.2	58.3	55.3
65-74-----	44.2	59.6	39.6	47.5	43.4	39.2
75+-----	23.6	41.8	21.9	27.4	20.6	22.9
<u>Male</u>						
All ages-----	63.1	69.0	57.1	67.7	59.5	52.9
0-14-----	62.8	...	62.8	...	62.8	(*)
15-24-----	58.4	55.2	60.5	63.3	55.3	72.6
25-34-----	69.8	72.0	35.4	75.1	43.7	59.1
35-44-----	71.6	73.6	27.1	73.8	50.4	59.6
45-54-----	69.1	71.3	33.3	70.7	50.9	59.6
55-64-----	61.4	66.2	35.8	64.6	33.1	43.3
65-74-----	47.2	58.6	40.6	49.4	38.7	38.8
75+-----	26.6	41.3	23.6	30.5	16.0	23.0
<u>Female</u>						
All ages-----	61.0	71.0	58.3	38.2	63.4	49.8
0-14-----	62.0	...	62.0	...	62.0	(*)
15-24-----	59.1	65.2	56.8	16.3	61.1	54.0
25-34-----	68.8	71.5	67.6	28.4	72.4	62.3
35-44-----	67.9	72.3	65.5	38.7	71.1	63.8
45-54-----	66.9	73.9	61.7	56.0	68.6	62.4
55-64-----	59.1	73.1	52.6	52.1	59.5	60.9
65-74-----	41.7	62.6	39.1	36.6	43.8	39.3
75+-----	21.2	(*)	20.8	15.1	21.6	22.8

Table 13. Percent of persons with surgical insurance according to family status and major activity by sex and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	U. S. total	Heads of families		Other family members		Individuals	
		Usually working (age 17+)	Other	Usually working (age 17+)	Other	Usually working (age 17+)	Other
<u>Both sexes</u>							
All ages-----	62.0	71.5	33.2	67.0	61.2	64.9	37.0
0-14-----	62.4	62.4	...	(*)
15-24-----	58.8	62.4	28.1	58.7	58.7	57.9	69.7
25-34-----	69.3	74.9	27.3	66.9	70.0	65.8	33.9
35-44-----	69.7	74.0	24.7	72.5	68.3	68.3	28.7
45-54-----	67.9	72.0	36.2	73.8	64.0	69.1	24.9
55-64-----	60.2	69.0	37.0	67.6	55.2	64.9	38.7
65+-----	37.1	57.4	34.9	53.5	34.1	56.7	27.7
<u>Male</u>							
All ages-----	63.1	72.1	39.1	49.4	60.8	60.1	43.3
0-14-----	62.8	62.8	...	(*)
15-24-----	58.4	63.6	59.9	47.3	58.3	60.2	78.8
25-34-----	69.8	75.9	49.8	48.8	(*)	64.0	(*)
35-44-----	71.6	75.1	33.5	57.4	(*)	65.5	(*)
45-54-----	69.1	72.3	37.8	56.6	(*)	66.1	(*)
55-64-----	61.4	68.6	39.2	38.2	(*)	49.4	(*)
65+-----	40.4	56.9	37.6	(*)	22.5	48.8	26.8
<u>Female</u>							
All ages-----	61.0	61.4	22.6	73.0	61.4	69.1	33.4
0-14-----	62.0	62.0	...	(*)
15-24-----	59.1	(*)	(*)	67.3	59.0	55.5	52.6
25-34-----	68.8	49.2	15.3	74.5	71.7	68.9	(*)
35-44-----	67.9	55.9	19.6	75.3	69.2	71.6	(*)
45-54-----	66.9	67.5	34.0	76.0	64.6	71.2	(*)
55-64-----	59.1	75.9	32.3	71.8	55.9	73.9	42.4
65+-----	34.3	(*)	24.6	56.5	35.5	62.5	28.0

Table 14. Percent of persons with doctor visit insurance according to major activity and according to family status by sex and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	U. S. total	Major activity		Family status		
		Usually working (age 17+)	Other	Heads of families	Other family members	Indi- viduals
<u>Both sexes</u>						
All ages-----	19.3	23.5	17.1	21.7	18.6	17.1
0-14-----	18.7	...	18.7	...	18.7	(*)
15-24-----	19.0	20.2	18.5	20.5	17.9	29.3
25-34-----	22.8	24.5	20.3	24.2	21.7	23.1
35-44-----	22.6	25.0	18.3	23.9	21.7	17.9
45-54-----	21.7	24.7	15.5	23.9	19.2	21.9
55-64-----	18.4	21.9	13.7	21.0	16.6	14.4
65+-----	10.2	18.8	8.3	12.2	8.6	9.3
<u>Male</u>						
All ages-----	20.6	24.0	17.0	23.1	17.8	21.8
0-14-----	18.6	...	18.6	...	18.6	(*)
15-24-----	20.0	19.7	20.2	23.8	16.3	40.2
25-34-----	24.6	25.3	14.6	25.7	17.6	25.3
35-44-----	24.4	25.3	(*)	25.3	17.4	18.4
45-54-----	24.5	25.7	(*)	24.8	15.2	26.8
55-64-----	20.7	22.5	10.6	21.8	10.9	13.7
65+-----	11.2	16.9	8.8	12.9	(*)	7.8
<u>Female</u>						
All ages-----	18.2	22.3	17.1	11.2	19.0	13.8
0-14-----	18.8	...	18.8	...	18.8	(*)
15-24-----	18.2	20.8	17.2	(*)	19.0	13.4
25-34-----	21.2	22.3	20.8	9.7	22.2	19.2
35-44-----	20.9	24.1	19.1	12.0	22.0	17.0
45-54-----	19.0	22.4	16.5	14.7	19.5	18.7
55-64-----	16.2	20.2	14.4	14.3	16.9	14.7
65+-----	9.3	24.9	8.0	8.6	9.1	10.0

Table 15. Percent of persons with hospital insurance according to chronic limitation of activity by sex and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV.]

Sex and age	U.S. total	Persons with no chronic condi- tions	Persons with one or more chronic conditions			
			No limi- tation of activity	Limited in outside activity	Limited in major activity	Unable to carry on major activity
<u>Both sexes</u>						
All ages-----	67.1	67.9	71.5	64.4	49.8	34.4
0-24-----	65.6	65.0	68.5	69.7	59.2	49.1
25-44-----	73.7	73.7	76.8	71.7	56.5	28.2
45-64-----	71.4	74.5	74.7	68.4	54.2	43.4
45-54-----	74.4	75.9	77.1	70.8	61.1	43.4
55-64-----	67.3	72.4	71.6	65.9	48.6	43.5
65+-----	46.1	53.2	53.1	44.3	38.3	30.2
65-74-----	53.2	58.7	58.4	48.8	45.6	37.0
75+-----	32.5	37.1	39.8	38.0	26.2	24.5
<u>Male</u>						
All ages-----	68.1	68.7	73.8	70.3	48.6	36.0
0-24-----	66.2	65.4	69.7	76.0	57.6	(*)
25-44-----	74.6	74.7	78.8	75.5	52.6	30.2
45-64-----	72.3	75.5	76.5	74.8	53.3	43.2
45-54-----	75.2	76.9	78.0	75.1	59.7	44.9
55-64-----	68.4	73.3	74.3	74.6	48.0	42.4
65+-----	47.9	56.7	59.0	43.7	37.9	33.0
65-74-----	54.6	63.4	64.3	(*)	42.2	39.2
75+-----	34.2	37.1	45.0	(*)	27.5	26.2
<u>Female</u>						
All ages-----	66.3	67.2	69.6	60.8	50.8	31.2
0-24-----	65.0	64.6	67.3	63.0	60.8	(*)
25-44-----	72.8	72.8	75.1	69.6	60.2	(*)
45-64-----	70.5	73.6	73.2	64.4	55.0	44.1
45-54-----	73.7	74.9	76.2	68.4	62.2	(*)
55-64-----	66.4	71.5	69.4	59.2	49.2	(*)
65+-----	44.6	50.1	49.3	44.6	38.5	24.7
65-74-----	52.1	54.3	54.6	51.0	48.9	30.1
75+-----	31.3	37.2	36.8	35.3	25.4	22.1

Table 16. Percent of persons with surgical insurance according to chronic limitation of activity by sex and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	U. S. total	Persons with no chronic condi- tions	Persons with one or more chronic conditions			
			No limi- tation of activity	Limited in outside activity	Limited in major activity	Unable to carry on major activity
<u>Both sexes</u>						
All ages-----	62.0	63.0	66.2	59.4	43.5	27.6
0-24-----	61.4	60.7	64.5	65.5	57.1	45.1
25-44-----	69.5	69.4	72.7	69.4	51.6	26.7
45-64-----	64.6	67.8	68.1	62.8	47.2	36.9
45-54-----	67.9	69.1	70.8	66.5	54.2	36.1
55-64-----	60.2	65.6	64.3	58.5	41.6	37.3
65+-----	37.1	43.0	43.6	36.2	31.0	22.0
65-74-----	44.2	49.1	49.1	42.2	37.9	27.1
75+-----	23.6	24.7	29.7	27.5	19.5	17.8
<u>Male</u>						
All ages-----	63.1	63.7	69.0	65.6	42.4	30.1
0-24-----	61.6	60.8	65.4	72.8	55.3	(*)
25-44-----	70.7	70.5	75.5	71.2	46.9	28.7
45-64-----	65.8	68.9	70.2	71.4	45.3	38.0
45-54-----	69.1	70.2	72.5	74.2	52.8	36.1
55-64-----	61.4	67.0	66.7	69.2	39.4	39.1
65+-----	40.4	48.1	51.6	33.2	32.4	25.7
65-74-----	47.2	55.6	57.1	(*)	36.6	29.9
75+-----	26.6	25.9	37.3	(*)	22.6	21.5
<u>Female</u>						
All ages-----	61.0	62.3	63.8	55.5	44.4	22.5
0-24-----	61.1	60.6	63.6	57.6	58.7	(*)
25-44-----	68.3	68.2	70.4	68.5	56.1	(*)
45-64-----	63.5	66.6	66.1	56.9	48.9	33.7
45-54-----	66.9	68.0	69.2	62.5	55.6	(*)
55-64-----	59.1	64.2	62.3	50.2	43.7	(*)
65+-----	34.3	38.4	38.5	37.4	29.8	14.6
65-74-----	41.7	43.2	44.0	43.5	39.2	18.4
75+-----	21.2	23.6	25.3	28.7	17.8	12.7

Table 17. Percent of persons with doctor visit insurance according to chronic limitation of activity by sex and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	U. S. total	Persons with no chronic condi- tions	Persons with one or more chronic conditions			
			No limi- tation of activity	Limited in outside activity	Limited in major activity	Unable to carry on major activity
<u>Both sexes</u>						
All ages-----	19.3	19.7	21.0	19.3	12.3	6.3
0-24-----	18.8	18.4	20.4	26.8	17.6	(*)
25-44-----	22.7	22.9	23.7	21.5	16.1	(*)
45-64-----	20.2	21.8	21.4	20.2	12.7	9.9
45-54-----	21.7	22.6	23.0	22.2	12.1	(*)
55-64-----	18.4	20.5	19.1	18.1	13.1	(*)
65+-----	10.2	12.1	12.7	9.6	8.3	4.5
<u>Male</u>						
All ages-----	20.6	20.4	23.8	24.4	12.0	7.1
0-24-----	19.0	18.3	21.5	34.5	13.6	(*)
25-44-----	24.5	24.3	26.6	21.6	16.0	(*)
45-64-----	22.9	24.3	25.3	25.7	12.2	9.3
45-54-----	24.5	25.5	26.8	25.2	12.2	(*)
55-64-----	20.7	22.5	23.1	26.3	12.2	(*)
65+-----	11.2	13.6	14.9	13.1	8.7	6.0
<u>Female</u>						
All ages-----	18.2	18.9	18.7	16.1	12.5	4.6
0-24-----	18.6	18.4	19.2	18.8	21.6	(*)
25-44-----	21.0	21.4	21.4	21.3	16.1	(*)
45-64-----	17.8	19.3	17.9	16.6	13.1	11.4
45-54-----	19.0	19.8	19.4	20.4	12.1	(*)
55-64-----	16.2	18.6	16.0	11.9	13.8	(*)
65+-----	9.3	10.8	11.3	8.1	8.0	1.5

Table 18. Percent distribution of persons according to whether they had hospital insurance and according to whether they were hospitalized in a short-stay hospital during the previous 12 months by sex and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	All persons			Persons with no hospital insurance			Persons with hospital insurance		
	Total	Hospital episodes		Total	Hospital episodes		Total	Hospital episodes	
		None	One or more		None	One or more		None	One or more
<u>Both sexes</u>									
All ages--	100.0	90.6	9.4	100.0	92.3	7.7	100.0	89.8	10.2
0-14-----	100.0	94.8	5.2	100.0	96.1	3.9	100.0	94.1	5.9
15-24-----	100.0	86.8	13.2	100.0	88.1	11.9	100.0	86.1	13.9
25-34-----	100.0	85.6	14.4	100.0	85.6	14.4	100.0	85.6	14.4
35-44-----	100.0	89.6	10.4	100.0	92.0	8.0	100.0	88.8	11.2
45-54-----	100.0	90.9	9.1	100.0	93.2	6.9	100.0	90.2	9.8
55-64-----	100.0	91.2	8.8	100.0	93.2	6.8	100.0	90.2	9.8
65-74-----	100.0	89.1	10.9	100.0	91.3	8.7	100.0	87.1	12.9
75+-----	100.0	89.6	10.4	100.0	92.4	7.6	100.0	83.7	16.3
<u>Male</u>									
All ages--	100.0	92.8	7.2	100.0	94.1	5.9	100.0	92.2	7.8
0-14-----	100.0	94.2	5.8	100.0	95.3	4.7	100.0	93.7	6.3
15-24-----	100.0	94.4	5.6	100.0	96.3	3.7	100.0	93.2	6.8
25-34-----	100.0	93.8	6.2	100.0	93.6	6.4	100.0	93.9	6.1
35-44-----	100.0	92.4	7.6	100.0	94.3	5.7	100.0	91.8	8.2
45-54-----	100.0	91.3	8.7	100.0	93.2	6.8	100.0	90.7	9.3
55-64-----	100.0	90.9	9.1	100.0	92.3	7.6	100.0	90.2	9.8
65-74-----	100.0	88.3	11.7	100.0	90.3	9.7	100.0	86.7	13.3
75+-----	100.0	88.7	11.3	100.0	90.9	9.1	100.0	84.5	15.5
<u>Female</u>									
All ages--	100.0	88.6	11.4	100.0	90.7	9.3	100.0	87.5	12.5
0-14-----	100.0	95.3	4.7	100.0	96.9	3.1	100.0	94.5	5.5
15-24-----	100.0	80.1	19.9	100.0	80.9	19.1	100.0	79.6	20.4
25-34-----	100.0	78.1	21.9	100.0	78.5	21.5	100.0	77.9	22.1
35-44-----	100.0	87.1	12.9	100.0	90.2	9.8	100.0	86.0	14.0
45-54-----	100.0	90.6	9.4	100.0	93.1	6.9	100.0	89.7	10.3
55-64-----	100.0	91.4	8.6	100.0	94.0	6.0	100.0	90.1	9.9
65-74-----	100.0	89.8	10.2	100.0	92.2	7.8	100.0	87.5	12.5
75+-----	100.0	90.2	9.8	100.0	93.5	6.5	100.0	83.0	17.0

Table 19. Percent distribution of persons according to whether they had hospital insurance and type of insuring organization by sex and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	U. S. total	Persons with no hospital insurance	Persons with hospital insurance				
			Total	Type of insuring organization			
				Blue Plan only	Blue Plan and other	Other	Unknown type (*)
<u>Both sexes</u>							
All ages-----	100.0	32.9	67.1	26.2	5.0	35.2	0.8
0-14-----	100.0	33.5	66.5	26.3	4.0	35.4	0.8
15-24-----	100.0	36.6	63.4	23.3	4.5	34.5	1.2
25-34-----	100.0	27.2	72.8	27.4	4.9	39.6	0.8
35-44-----	100.0	25.5	74.5	29.3	6.2	38.4	0.7
45-54-----	100.0	25.6	74.4	28.3	6.7	38.6	0.8
55-64-----	100.0	32.7	67.3	27.4	6.7	32.7	0.6
65+-----	100.0	53.9	46.1	19.7	3.4	22.4	0.6
65-74-----	100.0	46.8	53.2	23.5	4.1	25.0	0.6
75+-----	100.0	67.5	32.5	12.5	2.0	17.4	0.7
<u>Male</u>							
All ages-----	100.0	31.9	68.1	26.0	5.2	36.0	0.8
0-14-----	100.0	32.9	67.1	26.8	4.2	35.3	0.9
15-24-----	100.0	36.3	63.7	22.5	4.8	35.1	1.2
25-34-----	100.0	26.7	73.3	27.1	5.3	40.3	0.7
35-44-----	100.0	24.1	75.9	28.8	6.1	40.2	0.7
45-54-----	100.0	24.8	75.2	27.3	7.1	40.2	0.5
55-64-----	100.0	31.6	68.4	26.6	6.9	34.1	0.7
65+-----	100.0	52.1	47.9	19.9	3.8	23.7	0.5
65-74-----	100.0	45.4	54.6	22.9	4.3	26.7	0.7
75+-----	100.0	65.8	34.2	13.9	2.9	17.3	0.1
<u>Female</u>							
All ages-----	100.0	33.7	66.3	26.3	4.8	34.3	0.8
0-14-----	100.0	34.1	65.9	25.8	3.8	35.5	0.8
15-24-----	100.0	36.9	63.1	23.9	4.1	33.9	1.2
25-34-----	100.0	27.7	72.3	27.7	4.6	39.1	1.0
35-44-----	100.0	26.8	73.2	29.7	6.2	36.6	0.7
45-54-----	100.0	26.3	73.7	29.3	6.3	37.0	1.0
55-64-----	100.0	33.6	66.4	28.1	6.5	31.3	0.5
65+-----	100.0	55.4	44.6	19.5	3.1	21.3	0.7
65-74-----	100.0	47.9	52.1	24.0	4.1	23.5	0.5
75+-----	100.0	68.7	31.3	11.4	1.3	17.4	1.2

Table 20. Percent distribution of persons according to whether they had hospital insurance and type of insuring organization by residence and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV.]

Residence and age	All persons	Persons with no hospital insurance	Persons with hospital insurance				
			Total	Type of insuring organization			
				Blue Plan only	Blue Plan and other	Other	Unknown type (*)
<u>U. S. total</u>							
All ages-----	100.0	32.9	67.1	26.2	5.0	35.2	0.8
0-24-----	100.0	34.4	65.6	25.4	4.1	35.1	0.9
25-44-----	100.0	26.3	73.7	28.4	5.6	39.0	0.8
45-64-----	100.0	28.6	71.4	27.9	6.7	36.0	0.7
65+-----	100.0	53.9	46.1	19.7	3.4	22.4	0.6
<u>Urban</u>							
All ages-----	100.0	28.5	71.5	30.3	6.1	34.1	1.0
0-24-----	100.0	30.0	70.0	29.5	5.2	34.2	1.2
25-44-----	100.0	22.9	77.1	32.4	6.6	37.3	0.9
45-64-----	100.0	23.4	76.6	32.4	8.2	35.2	0.8
65+-----	100.0	48.7	51.3	23.8	4.1	22.9	0.6
<u>Rural nonfarm</u>							
All ages-----	100.0	32.0	68.0	22.8	4.0	40.7	0.5
0-24-----	100.0	32.4	67.6	22.8	3.4	40.9	0.5
25-44-----	100.0	25.5	74.5	24.8	4.7	44.5	0.5
45-64-----	100.0	30.3	69.7	23.3	4.9	41.0	0.5
65+-----	100.0	58.6	41.4	14.1	2.5	24.2	0.5
<u>Rural farm</u>							
All ages-----	100.0	55.0	45.0	13.9	1.9	28.3	0.9
0-24-----	100.0	56.3	43.7	14.3	1.6	26.9	0.9
25-44-----	100.0	47.7	52.3	16.0	2.2	33.2	0.9
45-64-----	100.0	52.2	47.8	13.2	2.4	31.4	0.7
65+-----	100.0	71.7	28.3	8.8	1.3	17.1	1.0

Table 21. Percent distribution of persons according to whether they had hospital insurance and type of insuring organization by region and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Region and age	All persons	Persons with no hospital insurance	Persons with hospital insurance				
			Total	Type of insuring organization			
				Blue Plan only	Blue Plan and other	Other	Unknown type (*)
<u>U. S. total</u>							
All ages-----	100.0	32.9	67.1	26.2	5.0	35.2	0.8
0-24-----	100.0	34.4	65.6	25.4	4.1	35.1	0.9
25-44-----	100.0	26.3	73.7	28.4	5.6	39.0	0.8
45-64-----	100.0	28.6	71.4	27.9	6.7	36.0	0.7
65+-----	100.0	53.9	46.1	19.7	3.4	22.4	0.6
<u>Northeast</u>							
All ages-----	100.0	24.8	75.2	41.0	7.5	26.0	0.7
0-24-----	100.0	24.4	75.6	40.5	6.5	27.7	0.9
25-44-----	100.0	19.1	80.9	43.3	8.7	28.3	0.7
45-64-----	100.0	20.9	79.1	43.7	9.6	25.2	0.7
65+-----	100.0	50.3	49.7	30.6	3.8	14.9	0.4
<u>North Central</u>							
All ages-----	100.0	26.1	73.9	30.8	5.5	36.8	0.8
0-24-----	100.0	26.3	73.7	31.3	4.8	36.7	0.9
25-44-----	100.0	20.6	79.4	32.5	6.0	40.3	0.7
45-64-----	100.0	23.5	76.5	31.1	7.1	37.4	0.8
65+-----	100.0	47.2	52.8	22.2	4.1	25.8	0.6
<u>South</u>							
All ages-----	100.0	43.9	56.1	15.3	3.4	36.4	0.9
0-24-----	100.0	47.3	52.7	14.6	2.6	34.3	1.1
25-44-----	100.0	35.4	64.6	18.3	3.7	41.7	0.8
45-64-----	100.0	39.5	60.5	15.3	5.1	39.2	0.8
65+-----	100.0	61.1	38.9	10.6	2.2	25.1	0.9
<u>West</u>							
All ages-----	100.0	38.4	61.6	12.8	2.7	45.4	0.8
0-24-----	100.0	39.6	60.4	12.2	2.2	45.1	0.9
25-44-----	100.0	33.5	66.5	12.5	2.7	50.3	0.9
45-64-----	100.0	32.2	67.8	15.9	3.4	48.0	0.5
65+-----	100.0	61.1	38.9	9.6	3.4	25.2	0.7

Table 22. Percent distribution of persons according to whether they had hospital insurance and type of insuring organization by family income and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Family income and age	All persons	Persons with no hospital insurance	Persons with hospital insurance				
			Total	Type of insuring organization			
				Blue Plan only	Blue Plan and other	Other	Unknown type (*)
<u>U. S. total</u>							
All ages-----	100.0	32.9	67.1	26.2	5.0	35.2	0.8
0-24-----	100.0	34.4	65.6	25.4	4.1	35.1	0.9
25-44-----	100.0	26.3	73.7	28.4	5.6	39.0	0.8
45-64-----	100.0	28.6	71.4	27.9	6.7	36.0	0.7
65+-----	100.0	53.9	46.1	19.7	3.4	22.4	0.6
<u>0-\$1,999</u>							
All ages-----	100.0	66.9	33.1	10.6	2.1	19.6	0.9
0-24-----	100.0	69.9	30.1	8.5	2.6	17.7	1.3
25-44-----	100.0	65.5	34.5	10.2	2.3	21.4	0.7
45-64-----	100.0	62.2	37.8	11.4	1.7	23.9	0.8
65+-----	100.0	66.7	33.3	13.5	1.5	17.6	0.6
<u>\$2,000-3,999</u>							
All ages-----	100.0	44.0	56.0	20.4	3.0	31.8	0.7
0-24-----	100.0	48.3	51.7	18.3	2.1	30.4	0.9
25-44-----	100.0	41.8	58.2	21.1	3.0	33.4	0.6
45-64-----	100.0	35.4	64.6	24.4	4.8	34.7	0.7
65+-----	100.0	46.8	53.2	20.4	3.7	28.9	0.2
<u>\$4,000-6,999</u>							
All ages-----	100.0	21.1	78.9	31.5	5.5	40.9	0.9
0-24-----	100.0	22.5	77.5	30.9	4.5	41.1	1.0
25-44-----	100.0	17.9	82.1	33.1	5.6	42.7	0.7
45-64-----	100.0	18.7	81.3	32.1	7.9	40.6	0.7
65+-----	100.0	40.4	59.6	25.0	6.2	27.7	0.6
<u>\$7,000+</u>							
All ages-----	100.0	15.5	84.5	33.8	8.4	41.4	0.8
0-24-----	100.0	16.1	83.9	34.3	7.0	41.8	0.8
25-44-----	100.0	13.1	86.9	32.5	8.8	44.8	0.8
45-64-----	100.0	12.7	87.3	35.7	10.8	40.0	0.7
65+-----	100.0	40.7	59.4	28.6	7.2	22.5	1.1
<u>Unknown</u>							
All ages-----	100.0	41.9	58.1	25.0	3.2	29.1	0.9
0-24-----	100.0	44.5	55.5	22.6	2.5	29.6	0.7
25-44-----	100.0	37.9	62.2	26.3	3.8	30.9	1.3
45-64-----	100.0	34.2	65.7	27.8	4.2	32.8	0.9
65+-----	100.0	56.3	43.7	23.5	1.7	17.5	1.0

Table 23. Percent distribution of persons according to whether they had hospital insurance and type of insuring organization by major activity and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Major activity and age	All persons	Persons with no hospital insurance	Persons with hospital insurance				
			Total	Type of insuring organization			
				Blue Plan only	Blue Plan and other	Other	Unknown type (*)
<u>U. S. total</u>							
All ages-----	100.0	32.9	67.1	26.2	5.0	35.2	0.8
0-24-----	100.0	34.4	65.6	25.4	4.1	35.1	0.9
25-44-----	100.0	26.3	73.7	28.4	5.6	39.0	0.8
45-64-----	100.0	28.6	71.4	27.9	6.7	36.0	0.7
65+-----	100.0	53.9	46.1	19.7	3.4	22.4	0.6
<u>Usually working</u>							
All ages-17+-----	100.0	25.2	74.8	28.4	6.8	38.8	0.8
17-24-----	100.0	36.1	63.9	23.3	4.2	35.2	1.2
25-44-----	100.0	23.1	76.9	28.8	6.3	41.1	0.8
45-64-----	100.0	22.8	77.2	29.8	8.4	38.2	0.8
65+-----	100.0	36.3	63.7	25.6	6.9	30.1	1.1
<u>Other</u>							
All ages-----	100.0	37.1	62.9	25.0	4.0	33.2	0.8
0-24-----	100.0	34.2	65.8	25.6	4.1	35.1	0.9
25-44-----	100.0	31.8	68.2	27.6	4.4	35.5	0.7
45-64-----	100.0	38.6	61.4	24.6	3.8	32.4	0.6
65+-----	100.0	57.8	42.2	18.4	2.6	20.7	0.5

Table 24. Percent distribution of persons according to whether they had surgical insurance and type of insuring organization by sex and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	U. S. total	Persons with no surgical insurance	Persons with surgical insurance				
			Total	Type of insuring organization			
				Blue Plan only	Blue Plan and other	Other	Unknown type (*)
<u>Both sexes</u>							
All ages-----	100.0	38.0	62.0	23.3	4.3	33.5	0.8
0-14-----	100.0	37.6	62.4	23.8	3.4	34.3	0.9
15-24-----	100.0	41.2	58.8	20.9	4.2	32.6	1.1
25-34-----	100.0	30.7	69.3	25.7	4.3	38.4	0.9
35-44-----	100.0	30.3	69.7	26.2	5.2	37.5	0.7
45-54-----	100.0	32.1	67.9	25.1	5.8	36.3	0.8
55-64-----	100.0	39.8	60.2	23.9	5.6	30.0	0.7
65+-----	100.0	62.9	37.1	14.7	3.0	18.8	0.6
65-74-----	100.0	55.8	44.2	18.1	3.6	22.0	0.5
75+-----	100.0	76.4	23.6	8.3	2.0	12.7	0.6
<u>Male</u>							
All ages-----	100.0	36.9	63.1	23.3	4.5	34.5	0.8
0-14-----	100.0	37.2	62.8	24.2	3.5	34.2	0.9
15-24-----	100.0	41.6	58.4	19.7	4.5	33.1	1.1
25-34-----	100.0	30.2	69.8	25.4	4.6	39.0	0.8
35-44-----	100.0	28.4	71.6	26.3	5.3	39.3	0.8
45-54-----	100.0	30.9	69.1	24.1	5.8	38.5	0.7
55-64-----	100.0	38.6	61.4	23.4	5.9	31.3	0.8
65+-----	100.0	59.6	40.4	15.9	3.4	20.8	0.4
65-74-----	100.0	52.8	47.2	18.7	3.7	24.4	0.5
75+-----	100.0	73.4	26.6	10.1	2.8	13.4	0.2
<u>Female</u>							
All ages-----	100.0	39.0	61.0	23.3	4.1	32.6	0.9
0-14-----	100.0	38.0	62.0	23.3	3.4	34.5	0.8
15-24-----	100.0	40.9	59.1	21.9	3.9	32.3	1.1
25-34-----	100.0	31.2	68.8	25.9	3.9	38.0	1.0
35-44-----	100.0	32.1	67.9	26.2	5.1	35.9	0.7
45-54-----	100.0	33.1	66.9	26.0	5.8	34.2	1.0
55-64-----	100.0	40.9	59.1	24.4	5.4	28.7	0.6
65+-----	100.0	65.7	34.3	13.8	2.8	17.1	0.7
65-74-----	100.0	58.3	41.7	17.6	3.6	19.9	0.6
75+-----	100.0	78.7	21.2	6.8	1.3	12.1	1.0

Table 25. Percent distribution of persons according to whether they had surgical insurance and type of insuring organization by residence and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Residence and age	All persons	Persons with no surgical insurance	Persons with surgical insurance				
			Total	Type of insuring organization			
				Blue Plan only	Blue Plan and other	Other	Unknown type (*)
<u>U. S. total</u>							
All ages-----	100.0	38.0	62.0	23.3	4.3	33.5	0.8
0-24-----	100.0	38.6	61.4	23.0	3.6	33.9	0.9
25-44-----	100.0	30.5	69.5	26.0	4.7	38.0	0.8
45-64-----	100.0	35.4	64.6	24.6	5.7	33.6	0.8
65+-----	100.0	62.9	37.1	14.7	3.0	18.8	0.6
<u>Urban</u>							
All ages-----	100.0	34.3	65.7	26.7	5.1	32.9	0.9
0-24-----	100.0	34.7	65.3	26.3	4.4	33.5	1.1
25-44-----	100.0	27.6	72.4	29.4	5.4	36.7	0.9
45-64-----	100.0	30.7	69.3	28.4	6.9	33.3	0.8
65+-----	100.0	59.2	40.8	17.5	3.7	19.2	0.4
<u>Rural nonfarm</u>							
All ages-----	100.0	35.9	64.1	21.2	3.7	38.6	0.6
0-24-----	100.0	35.6	64.4	21.4	3.2	39.2	0.6
25-44-----	100.0	28.4	71.6	23.6	4.3	43.1	0.6
45-64-----	100.0	36.2	63.8	21.0	4.5	37.6	0.8
65+-----	100.0	66.0	34.0	11.3	2.4	19.9	0.4
<u>Rural farm</u>							
All ages-----	100.0	59.7	40.3	12.0	1.7	25.7	0.9
0-24-----	100.0	60.9	39.1	12.4	1.6	24.2	0.9
25-44-----	100.0	52.2	47.8	13.8	2.2	31.0	0.8
45-64-----	100.0	58.2	41.8	11.3	1.8	28.1	0.6
65+-----	100.0	75.8	24.3	6.9	0.9	15.0	1.6

Table 26. Percent distribution of persons according to whether they had surgical insurance and type of insuring organization by region and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Region and age	All persons	Persons with no surgical insurance	Persons with surgical insurance				
			Total	Type of insuring organization			
				Blue Plan only	Blue Plan and other	Other	Unknown type (*)
<u>U. S. total</u>							
All ages-----	100.0	38.0	62.0	23.3	4.3	33.5	0.8
0-24-----	100.0	38.6	61.4	23.0	3.6	33.9	0.9
25-44-----	100.0	30.5	69.5	26.0	4.7	38.0	0.8
45-64-----	100.0	35.4	64.6	24.6	5.7	33.6	0.8
65+-----	100.0	62.9	37.1	14.7	3.0	18.8	0.6
<u>Northeast</u>							
All ages-----	100.0	32.1	67.9	35.7	6.1	25.4	0.7
0-24-----	100.0	30.5	69.5	36.0	5.2	27.6	0.8
25-44-----	100.0	25.2	74.8	38.8	6.9	28.5	0.7
45-64-----	100.0	29.3	70.7	38.1	8.0	23.9	0.6
65+-----	100.0	64.2	35.8	20.7	3.2	11.6	0.3
<u>North Central</u>							
All ages-----	100.0	31.5	68.5	27.7	4.8	35.3	0.7
0-24-----	100.0	30.8	69.2	28.5	4.3	35.7	0.8
25-44-----	100.0	25.1	74.9	29.9	5.2	39.1	0.7
45-64-----	100.0	30.7	69.3	27.4	5.8	35.3	0.7
65+-----	100.0	55.6	44.4	17.7	3.8	22.5	0.5
<u>South</u>							
All ages-----	100.0	48.8	51.2	13.6	3.1	33.5	1.0
0-24-----	100.0	51.4	48.6	13.0	2.5	31.9	1.2
25-44-----	100.0	39.3	60.7	16.9	3.3	39.6	0.9
45-64-----	100.0	46.4	53.6	13.0	4.4	35.1	1.0
65+-----	100.0	68.2	31.8	8.7	2.0	20.3	0.9
<u>West</u>							
All ages-----	100.0	40.1	59.9	12.3	2.7	44.1	0.9
0-24-----	100.0	40.9	59.1	11.8	2.2	44.1	1.0
25-44-----	100.0	34.4	65.6	12.2	2.5	49.8	1.1
45-64-----	100.0	34.6	65.4	15.3	3.5	45.9	0.7
65+-----	100.0	65.2	34.8	8.1	3.3	22.8	0.6

Table 27. Percent distribution of persons according to whether they had surgical insurance and type of insuring organization by family income and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Family income and age	All persons	Persons with no surgical insurance	Persons with surgical insurance				
			Total	Type of insuring organization			
				Blue Plan only	Blue Plan and other	Other	Unknown type (*)
<u>U. S. total</u>							
All ages-----	100.0	38.0	62.0	23.3	4.3	33.5	0.8
0-24-----	100.0	38.6	61.4	23.0	3.6	33.9	0.9
25-44-----	100.0	30.5	69.5	26.0	4.7	38.0	0.8
45-64-----	100.0	35.4	64.6	24.6	5.7	33.6	0.8
65+-----	100.0	62.9	37.1	14.7	3.0	18.8	0.6
<u>0-\$1,999</u>							
All ages-----	100.0	72.6	27.4	8.7	1.9	16.1	0.8
0-24-----	100.0	74.4	25.6	7.2	2.4	15.0	1.0
25-44-----	100.0	69.5	30.5	9.3	2.0	18.5	0.8
45-64-----	100.0	69.0	31.0	9.9	1.2	19.3	0.6
65+-----	100.0	74.9	25.1	9.6	1.5	13.5	0.6
<u>\$2,000-3,999</u>							
All ages-----	100.0	50.0	50.0	17.6	2.8	28.9	0.6
0-24-----	100.0	53.5	46.5	16.2	2.0	27.6	0.7
25-44-----	100.0	46.9	53.1	18.5	2.8	31.2	0.6
45-64-----	100.0	43.2	56.8	20.5	4.2	31.2	0.9
65+-----	100.0	54.8	45.2	16.4	3.6	25.1	0.1
<u>\$4,000-6,999</u>							
All ages-----	100.0	25.8	74.2	28.8	4.5	40.0	0.9
0-24-----	100.0	26.2	73.8	28.3	3.7	40.7	1.1
25-44-----	100.0	21.8	78.2	31.0	4.4	41.9	0.8
45-64-----	100.0	25.6	74.4	28.5	6.7	38.4	0.8
65+-----	100.0	51.8	48.3	18.6	5.6	23.6	0.5
<u>\$7,000+</u>							
All ages-----	100.0	20.4	79.6	30.3	7.4	41.0	0.9
0-24-----	100.0	20.5	79.5	30.9	6.3	41.4	0.9
25-44-----	100.0	16.9	83.1	29.6	7.7	44.8	1.0
45-64-----	100.0	18.8	81.2	31.9	9.5	39.1	0.7
65+-----	100.0	51.0	49.0	21.6	5.8	20.6	1.1
<u>Unknown</u>							
All ages-----	100.0	48.0	52.0	21.1	2.7	27.3	1.0
0-24-----	100.0	48.8	51.2	20.0	2.5	27.8	0.8
25-44-----	100.0	45.1	54.9	21.2	3.5	29.1	1.0
45-64-----	100.0	40.2	59.8	24.6	3.1	31.1	1.1
65+-----	100.0	65.6	34.4	17.2	0.9	15.2	1.0

Table 28. Percent distribution of persons according to whether they had surgical insurance and type of insuring organization by major activity and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Major activity and age	All persons	Persons with no surgical insurance	Persons with surgical insurance				
			Total	Type of insuring organization			
				Blue Plan only	Blue Plan and other	Other	Unknown type (*)
<u>U. S. total</u>							
All ages-----	100.0	38.0	62.0	23.3	4.3	33.5	0.8
0-24-----	100.0	38.6	61.4	23.0	3.6	33.9	0.9
25-44-----	100.0	30.5	69.5	26.0	4.7	38.0	0.8
45-64-----	100.0	35.4	64.6	24.6	5.7	33.6	0.8
65+-----	100.0	62.9	37.1	14.7	3.0	18.8	0.6
<u>Usually working</u>							
All ages-17+-----	100.0	30.4	69.6	25.9	6.0	36.9	0.9
17-24-----	100.0	40.4	59.6	21.9	4.0	32.4	1.2
25-44-----	100.0	27.4	72.6	26.6	5.4	39.8	0.8
45-64-----	100.0	29.4	70.6	26.8	7.3	35.7	0.8
65+-----	100.0	43.2	56.7	21.3	5.9	28.7	0.9
<u>Other</u>							
All ages-----	100.0	42.1	57.9	22.0	3.4	31.7	0.8
0-24-----	100.0	38.4	61.6	23.1	3.6	34.0	0.9
25-44-----	100.0	35.7	64.3	25.0	3.6	35.0	0.8
45-64-----	100.0	45.6	54.4	20.7	2.9	29.9	0.8
65+-----	100.0	67.2	32.8	13.3	2.4	16.6	0.5

Table 29. Percent distribution of persons according to whether they had doctor visit insurance and type of insuring organization by selected characteristics: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Characteristic	All persons	Persons with no doctor visit insurance	Persons with doctor visit insurance				
			Total	Type of insuring organization			
				Blue Plan only	Blue Plan and other	Other	Unknown type (*)
U. S. total-----	100.0	80.7	19.3	3.8	0.5	14.3	0.7
<u>Sex</u>							
Male-----	100.0	79.4	20.6	3.9	0.5	15.4	0.7
Female-----	100.0	81.8	18.2	3.7	0.5	13.3	0.7
<u>Age</u>							
0-14-----	100.0	81.3	18.7	3.9	0.4	13.8	0.6
15-24-----	100.0	81.0	19.0	3.8	0.6	13.8	0.7
25-34-----	100.0	77.2	22.8	4.8	0.5	16.7	0.8
35-44-----	100.0	77.4	22.6	4.6	0.6	16.6	0.7
45-54-----	100.0	78.3	21.7	3.9	0.6	16.2	0.9
55-64-----	100.0	81.6	18.4	2.8	0.5	14.3	0.7
65+-----	100.0	89.8	10.2	1.9	0.3	7.3	0.7
<u>Region</u>							
Northeast-----	100.0	81.6	18.4	5.6	0.6	11.4	0.7
North Central-----	100.0	81.5	18.5	3.9	0.6	13.4	0.6
South-----	100.0	85.6	14.4	1.9	0.2	11.6	0.7
West-----	100.0	67.6	32.4	4.4	0.6	26.4	1.0
<u>Residence</u>							
Urban-----	100.0	79.7	20.3	4.2	0.5	14.8	0.8
Rural nonfarm-----	100.0	79.5	20.5	3.6	0.6	15.8	0.6
Rural farm-----	100.0	87.7	12.3	2.4	0.1	8.9	0.8
<u>Family income</u>							
0-\$1,999-----	100.0	91.1	8.9	1.3	0.4	6.7	0.5
\$2,000-3,999-----	100.0	85.9	14.1	2.7	0.3	10.7	0.5
\$4,000-6,999-----	100.0	78.1	21.9	4.6	0.5	15.8	1.0
\$7,000+-----	100.0	72.3	27.7	5.4	0.7	20.8	0.8
Unknown-----	100.0	82.1	17.9	3.8	0.5	13.2	0.5
<u>Major activity</u>							
Usually working-17+-----	100.0	76.5	23.5	4.6	0.6	17.3	0.9
Other-----	100.0	82.9	17.1	3.4	0.4	12.6	0.6

Table 30. Average population during the 6-month period covered in this report by sex and age:
United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Age	Both sexes	Male	Female
Population in thousands			
All ages-----	173,545	84,460	89,085
0-14-----	55,066	28,085	26,982
15-24-----	22,558	10,667	11,891
25-34-----	22,117	10,583	11,534
35-44-----	23,247	11,162	12,085
45-54-----	20,293	9,868	10,425
55-64-----	15,192	7,282	7,910
65-74-----	9,887	4,586	5,301
75+-----	5,185	2,228	2,957

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports; Series P-20, P-25, P-50, P-57, and P-60.

Table 31. Population used in computing sampling errors according to residence by sex and age:
United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	Residence				
	U. S. total	Urban	Rural		
			Total	Nonfarm	Farm
Population in millions					
<u>Both sexes</u>					
All ages-----	173.5	104.3	69.2	46.6	22.6
0-14-----	55.1	30.3	24.8	17.0	7.8
15-24-----	22.6	14.1	8.5	5.2	3.3
25-34-----	22.1	13.1	9.0	6.8	2.2
35-44-----	23.2	14.0	9.2	6.4	2.8
45-54-----	20.3	13.1	7.2	4.8	2.5
55-64-----	15.2	10.0	5.2	3.1	2.1
65-74-----	9.9	6.4	3.5	2.2	1.3
75+-----	5.2	3.4	1.8	1.2	0.6
<u>Male</u>					
All ages-----	84.5	49.8	34.7	23.0	11.6
0-14-----	28.1	15.3	12.8	8.7	4.0
15-24-----	10.7	6.6	4.1	2.4	1.7
25-34-----	10.6	6.3	4.2	3.2	1.1
35-44-----	11.2	6.5	4.6	3.2	1.4
45-54-----	9.9	6.2	3.7	2.3	1.3
55-64-----	7.3	4.7	2.6	1.6	1.1
65-74-----	4.6	2.8	1.8	1.0	0.7
75+-----	2.2	1.3	0.9	0.6	0.3
<u>Female</u>					
All ages-----	89.1	54.5	34.6	23.6	10.9
0-14-----	27.0	15.0	12.0	8.2	3.8
15-24-----	11.9	7.5	4.4	2.8	1.6
25-34-----	11.5	6.8	4.8	3.7	1.1
35-44-----	12.1	7.5	4.6	3.2	1.4
45-54-----	10.4	6.9	3.6	2.4	1.1
55-64-----	7.9	5.4	2.6	1.5	1.0
65-74-----	5.3	3.6	1.7	1.1	0.6
75+-----	3.0	2.0	0.9	0.6	0.3

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports: Series P-20, P-25, P-50, P-57, and P-60.

Table 32. Population used in computing sampling errors according to region by sex and age:
United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	Region				
	U. S. total	North- east	North Central	South	West
Population in millions					
<u>Both sexes</u>					
All ages-----	173.5	45.2	50.9	51.8	25.6
0-14-----	55.1	13.1	16.4	17.1	8.5
15-24-----	22.6	5.6	6.7	7.2	3.1
25-34-----	22.1	6.0	6.3	6.5	3.3
35-44-----	23.2	6.4	6.9	6.4	3.5
45-54-----	20.3	5.5	5.8	6.0	3.1
55-64-----	15.2	4.4	4.4	4.5	2.0
65-74-----	9.9	2.9	2.9	2.7	1.4
75+-----	5.2	1.4	1.5	1.4	0.8
<u>Male</u>					
All ages-----	84.5	22.0	25.2	24.7	12.6
0-14-----	28.1	6.7	8.4	8.6	4.3
15-24-----	10.7	2.7	3.3	3.3	1.5
25-34-----	10.6	2.9	3.0	3.1	1.5
35-44-----	11.2	3.1	3.4	3.0	1.7
45-54-----	9.9	2.6	2.9	2.8	1.5
55-64-----	7.3	2.1	2.2	2.0	1.0
65-74-----	4.6	1.3	1.4	1.2	0.6
75+-----	2.2	0.6	0.6	0.6	0.4
<u>Female</u>					
All ages-----	89.1	23.2	25.8	27.1	13.1
0-14-----	27.0	6.3	8.0	8.5	4.2
15-24-----	11.9	2.9	3.4	3.9	1.7
25-34-----	11.5	3.1	3.3	3.4	1.8
35-44-----	12.1	3.3	3.5	3.4	1.8
45-54-----	10.4	2.9	2.9	3.2	1.5
55-64-----	7.9	2.3	2.2	2.4	0.9
65-74-----	5.3	1.5	1.6	1.4	0.7
75+-----	3.0	0.9	0.9	0.8	0.4

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports: Series P-20, P-25, P-50, P-57, and P-60.

Table 33. Population used in computing sampling errors according to family income by sex and age:
United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	Family income					
	U. S. total	0- \$1,999	\$2,000- 3,999	\$4,000- 6,999	\$7,000+	Unknown
Population in millions						
<u>Both sexes</u>						
All ages-----	173.5	25.9	35.5	61.8	37.1	13.2
0-14-----	55.1	6.7	11.4	22.4	11.3	3.3
15-24-----	22.6	3.9	5.2	7.2	4.4	1.9
25-34-----	22.1	2.0	4.3	9.8	4.7	1.2
35-44-----	23.2	2.0	4.0	9.0	6.6	1.7
45-54-----	20.3	2.3	3.8	6.7	5.6	1.9
55-64-----	15.2	3.1	3.3	4.3	2.9	1.6
65-74-----	9.9	3.6	2.4	1.7	1.1	1.1
75+-----	5.2	2.3	1.1	0.7	0.6	0.6
<u>Male</u>						
All ages-----	84.5	11.8	17.0	30.9	18.6	6.3
0-14-----	28.1	3.4	5.8	11.4	5.8	1.7
15-24-----	10.7	2.0	2.3	3.4	2.1	0.9
25-34-----	10.6	1.0	2.0	4.7	2.3	0.6
35-44-----	11.2	0.9	1.8	4.5	3.2	0.8
45-54-----	9.9	0.9	1.7	3.4	2.9	0.9
55-64-----	7.3	1.1	1.5	2.3	1.6	0.8
65-74-----	4.6	1.5	1.3	0.8	0.5	0.4
75+-----	2.2	1.0	0.5	0.3	0.2	0.2
<u>Female</u>						
All ages-----	89.1	14.1	18.6	31.0	18.5	7.0
0-14-----	27.0	3.3	5.6	11.0	5.5	1.6
15-24-----	11.9	1.9	2.9	3.8	2.3	1.0
25-34-----	11.5	1.1	2.2	5.2	2.5	0.6
35-44-----	12.1	1.1	2.2	4.4	3.4	0.9
45-54-----	10.4	1.4	2.1	3.3	2.7	1.0
55-64-----	7.9	1.9	1.8	2.0	1.3	0.8
65-74-----	5.3	2.0	1.2	0.9	0.6	0.6
75+-----	3.0	1.3	0.6	0.4	0.3	0.4

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports: Series P-20, P-25, P-50, P-57, and P-60.

4. Population used in computing sampling errors according to major activity and according to family status by sex and age: United States, July-December 1959

based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. Description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	U. S. total	Major activity		Family status		
		Usually working (age 17+)	Other	Heads of families	Other family members	Indi- viduals
Population in millions						
<u>Both sexes</u>						
1 ages-----	173.5	60.9	112.7	45.3	117.0	11.3
-----	55.1	...	55.1	...	55.0	0.1
-----	22.6	7.5	15.1	2.3	18.4	1.8
-----	22.1	13.4	8.7	9.2	11.8	1.1
-----	23.2	15.0	8.3	10.9	11.3	1.1
-----	20.3	13.7	6.6	9.7	9.0	1.6
-----	15.2	8.7	6.5	7.1	6.1	2.0
-----	9.9	2.3	7.6	4.3	3.5	2.1
-----	5.2	0.4	4.7	1.8	1.9	1.5
<u>Male</u>						
1 ages-----	84.5	42.4	42.0	40.3	39.4	4.7
-----	28.1	...	28.1	...	28.1	(*)
-----	10.7	4.3	6.4	1.9	7.7	1.1
-----	10.6	9.9	0.7	8.4	1.5	0.7
-----	11.2	10.7	0.5	9.8	0.8	0.6
-----	9.9	9.3	0.6	8.8	0.5	0.6
-----	7.3	6.2	1.1	6.4	0.3	0.6
-----	4.6	1.7	2.9	3.6	0.3	0.7
-----	2.2	0.4	1.8	1.4	0.3	0.5
<u>Female</u>						
ages-----	89.1	18.5	70.6	4.9	77.6	6.6
-----	27.0	...	27.0	...	26.9	0.1
-----	11.9	3.2	8.7	0.4	10.7	0.8
-----	11.5	3.5	8.1	0.8	10.3	0.4
-----	12.1	4.3	7.8	1.1	10.5	0.5
-----	10.4	4.4	6.0	0.9	8.6	1.0
-----	7.9	2.5	5.4	0.8	5.8	1.4
-----	5.3	0.6	4.7	0.6	3.2	1.5
-----	3.0	0.1	2.9	0.4	1.6	1.0

For official population estimates for more general use, see Bureau of the Census reports on the civilian of the United States, in Current Population Reports: Series P-20, P-25, P-50, P-57, and P-60.

Table 35. Population used in computing sampling errors according to family status and major activity by sex and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	U. S. total	Heads of families		Other family members		Individuals	
		Usually working (age 17+)	Other	Usually working (age 17+)	Other	Usually working (age 17+)	Other
Population in millions							
<u>Both sexes</u>							
All ages----	173.5	37.1	8.2	18.2	98.9	5.7	5.6
0-14-----	55.1	55.0	...	0.1
15-24-----	22.6	1.9	0.5	4.9	13.5	0.7	1.1
25-34-----	22.1	8.4	0.8	4.0	7.8	0.9	0.2
35-44-----	23.2	10.1	0.8	4.0	7.3	0.9	0.2
45-54-----	20.3	9.0	0.7	3.4	5.6	1.3	0.3
55-64-----	15.2	5.9	1.2	1.5	4.6	1.3	0.7
65+-----	15.1	1.8	4.2	0.3	5.1	0.6	3.0
<u>Male</u>							
All ages----	84.5	35.0	5.3	4.7	34.7	2.7	2.0
0-14-----	28.1	28.1	...	(*)
15-24-----	10.7	1.8	0.2	2.2	5.5	0.4	0.7
25-34-----	10.6	8.1	0.3	1.3	0.3	0.6	0.1
35-44-----	11.2	9.5	0.3	0.6	0.1	0.5	0.1
45-54-----	9.9	8.4	0.4	0.4	0.1	0.5	0.1
55-64-----	7.3	5.5	0.8	0.2	0.1	0.5	0.2
65+-----	6.8	1.7	3.3	0.1	0.5	0.3	0.9
<u>Female</u>							
All ages----	89.1	2.0	2.9	13.4	64.2	3.0	3.6
0-14-----	27.0	26.9	...	0.1
15-24-----	11.9	0.1	0.3	2.8	8.0	0.3	0.4
25-34-----	11.5	0.3	0.5	2.8	7.5	0.3	0.1
35-44-----	12.1	0.6	0.5	3.3	7.2	0.4	0.1
45-54-----	10.4	0.6	0.3	3.0	5.5	0.8	0.2
55-64-----	7.9	0.4	0.4	1.3	4.5	0.8	0.6
65+-----	8.3	0.1	0.9	0.2	4.6	0.3	2.1

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports: Series P-20, P-25, P-50, P-57, and P-60.

Table 36. Population used in computing sampling errors according to chronic limitation of activity by sex and age: United States, July-December 1959

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifications, and tables of sampling errors are given in Appendix I. Definitions of terms are given in Appendix II. A description of the special methods for data on health insurance is given in Appendix IV]

Sex and age	U. S. total	Persons with no chronic conditions	Persons with one or more chronic conditions			
			No limi- tation of ac- tivity	Limited in outside activity	Limited in major activity	Unable to carry on major activity
Population in millions						
<u>Both sexes</u>						
All ages-----	173.5	102.5	52.9	4.8	9.4	3.9
0-14-----	55.1	45.9	8.3	0.4	0.3	0.1
15-24-----	22.6	15.4	6.2	0.4	0.4	0.1
25-34-----	22.1	11.9	8.6	0.5	0.8	0.2
35-44-----	23.2	11.5	9.5	0.8	1.3	0.2
45-64-----	35.5	14.2	15.0	1.7	3.6	1.0
45-54-----	20.3	8.7	8.7	0.9	1.6	0.4
55-64-----	15.2	5.4	6.3	0.8	2.0	0.6
65+-----	15.1	3.6	5.2	1.0	3.0	2.3
65-74-----	9.9	2.7	3.7	0.6	1.9	1.0
75+-----	5.2	0.9	1.5	0.4	1.2	1.2
<u>Male</u>						
All ages-----	84.5	51.0	24.6	1.8	4.5	2.6
0-14-----	28.1	22.9	4.7	0.2	0.2	0.1
15-24-----	10.7	7.5	2.7	0.2	0.2	0.1
25-34-----	10.6	6.1	3.8	0.2	0.4	0.1
35-44-----	11.2	5.7	4.4	0.3	0.6	0.2
45-64-----	17.2	7.0	7.0	0.7	1.7	0.7
45-54-----	9.9	4.3	4.2	0.3	0.8	0.2
55-64-----	7.3	2.7	2.8	0.3	1.0	0.5
65+-----	6.8	1.7	2.0	0.3	1.4	1.5
65-74-----	4.6	1.3	1.5	0.2	0.9	0.8
75+-----	2.2	0.4	0.6	0.1	0.4	0.7
<u>Female</u>						
All ages-----	89.1	51.5	28.3	3.0	5.0	1.3
0-14-----	27.0	23.0	3.6	0.2	0.2	(*)
15-24-----	11.9	7.9	3.5	0.2	0.2	0.1
25-34-----	11.5	5.9	4.9	0.4	0.4	0.1
35-44-----	12.1	5.8	5.1	0.5	0.6	0.1
45-64-----	18.3	7.1	8.0	1.0	1.9	0.3
45-54-----	10.4	4.4	4.5	0.6	0.8	0.1
55-64-----	7.9	2.7	3.5	0.5	1.0	0.2
65+-----	8.3	1.9	3.2	0.7	1.7	0.8
65-74-----	5.3	1.4	2.3	0.4	0.9	0.3
75+-----	3.0	0.5	0.9	0.3	0.7	0.5

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports: Series P-20, P-25, P-50, P-57, and P-60.

APPENDIX I

TECHNICAL NOTES ON METHODS

Background of This Report

This report on health insurance is one of a series of statistical reports prepared by the U. S. National Health Survey which cover separate health-related topics. It is based on information collected in a continuing nationwide sample of households in the Health Interview Survey, which is one of the major projects of the U. S. National Health Survey.

The Health Interview Survey utilizes a questionnaire which elicits information on illnesses, injuries, chronic conditions, disability, medical care, and other health topics in addition to personal and demographic characteristics. As data relating to each of these various broad topics are tabulated and analyzed, separate reports are issued which cover one or more of the specific topics.

The population covered by the sample for the Health Interview Survey is the civilian noninstitutional population of the United States living at the time of interview. The sample does not include members of the Armed Forces, U. S. nationals living in foreign countries, or crews of vessels. It should also be noted that the estimates shown do not represent a complete count of persons covered by health insurance at any time during the 6 months. Persons who were covered during part of the period but who were not covered at the time of interview are excluded.

Statistical Design of the Health Interview Survey

General plan.—The sampling plan of the survey follows a multistage probability design which permits a continuous sampling of the civilian noninstitutional population of the United States. The first stage of this design consists of drawing a sample of 500 from the 1,900 geographically defined Primary Sampling Units (PSU's) into which the United States has been divided. A PSU is a county, a group of contiguous counties, or a Standard Metropolitan Statistical Area.

With no loss in general understanding, the remaining stages can be telescoped and treated in this discussion as an ultimate stage. Within PSU's then, ultimate stage units called segments are defined, also geographically, in such a manner that each segment contains an expected six households. Each week a random sample of about 120 segments is drawn. In the approximately 700 households in these segments, household members are interviewed concerning factors related to health.

Since the household members interviewed each week are a representative sample of the population, samples for successive weeks can be combined into larger samples. Thus the design permits both continuous measurement of characteristics of high incidence

or prevalence in the population and, through the larger consolidated samples, more detailed analysis of less common characteristics and smaller categories. The continuous collection has administrative and operational advantages as well as technical assets, since it permits field work to be handled with an experienced, stable staff.

Sample size and geographic detail.—The national sample plan over a 6-month period ending December 27, 1959 includes approximately 62,000 persons from 19,000 households in 3,200 segments, with representation from every State. The over-all sample was designed in such a fashion that tabulations can be provided for the four main regions and for urban and rural sectors of the United States.

Collection of data.—The field operations for the household survey are performed by the Bureau of the Census under specifications established by the Public Health Service. In accordance with these specifications the Bureau of the Census designs and selects the sample, conducts the field interviewing, and edits and codes the questionnaires. Tabulations are prepared by the Public Health Service using the Bureau of the Census electronic computers.

Estimating methods.—Each statistic produced by the survey—for example, the percent of persons with hospital insurance—is the result of two stages of ratio estimation. In the first of these, the factor is the ratio of the 1950 decennial population count to the 1950 estimated population in the U. S. National Health Survey's first-stage sample of PSU's. This factor is applied for more than 50 color-residence classes.

Later, ratios of sample-produced estimates to official Bureau of the Census figures for current population are computed for about 60 age-sex-color classes, and serve as second-stage factors for ratio estimating.

The effect of the ratio estimating process is to make the sample closely representative of the U. S. population by age, sex, color, and residence, thus reducing sampling variance.

As noted, each week's sample represents the population living during that week as well as characteristics of the population. For statistics which measure prevalence, consolidation of samples over the 6-month period produces estimates of the average prevalence in the United States during the 6 months.

General Qualifications

Nonresponse.—Data are adjusted for nonresponse by a procedure which imputes to persons in a household which was not interviewed the characteristics of persons in households in the same segment which were interviewed. The total noninterview rate was 5 per-

cent; 1 percent was refusal, and the other 4 percent was primarily due to the failure to find any eligible household respondent after repeated trials.

The interview process.—The statistics presented in this report are based on replies secured in interviews in the sampled households. Each person 18 years of age and over, available at the time of interview, was interviewed individually. Proxy respondents within the household were employed for adults not available at the time of the interview and for children, provided the respondent was closely related to the person about whom information was being obtained.

Population figures.—Some of the published tables include population figures for specified categories. Except for certain over-all totals which are adjusted to independent estimates, these figures are based on the sample of households in the U. S. National Health Survey. They are given primarily for the purpose of providing populations for sampling errors, and for this purpose are more appropriate for use with the accompanying measurements of health characteristics than other population data which may be available. In some instances they will permit users to recombine published data into classes more suitable to their specific needs. The population figures differ from corresponding figures (which are derived from different sources) published in reports of the Bureau of the Census. For population data for general use, see the official estimates presented in Bureau of the Census reports in the P-20, P-25, P-50, P-57, and P-60 series.

Reliability of Estimates

Since the estimates are based on a sample, they differ somewhat from the figures that would have been obtained if a complete census had been taken using the same schedules, instructions, and interviewing personnel and procedures. As in any survey, the results are also subject to measurement error.

The standard error is primarily a measure of sampling variability; that is, the variations that might

occur by chance because only a sample of the population is surveyed. As calculated for this report, the standard error also reflects part of the variation which arises in the measurement process. It does not include estimates of any biases which might lie in the data. The chances are about 68 out of 100 that an estimate from the sample differs from the value obtained from a complete census by less than the standard error. The chances are about 95 out of 100 that the difference is less than twice the standard error and about 99 out of 100 that it is less than 2½ times as large.

In order to derive standard errors which would be applicable to a wide variety of health statistics and which could be prepared at a moderate cost, a number of approximations were required. As a result, the table of standard errors shown in this Appendix should be interpreted as providing an estimate of approximate standard error, rather than as the precise standard error for any specific statistic.

The following rule will enable the reader to determine the sampling errors for the data contained in this report:

Approximate standard errors for the percentage of persons with a specified characteristic in any population group are obtained from table I-1. For many purposes it is sufficient to look up the base of the percentage in the population tables, then use the standard error shown at the point of intersection of the horizontal line entered at the tabular base nearest to the exact base and the column entered by the tabular percentage nearest the exact percentage.

A closer approximation of the standard error can be obtained by interpolation as in the following example:

An estimated 32.4 percent of the 25,625,000 persons in the West had insurance for doctor bills. Since neither the base nor the percentage is shown in table I-1 it is necessary to interpolate between 25 and 50 percent to obtain 0.99 as the standard error of 32.4 percent with a base of 20,000,000 persons and 0.83 as the standard error of 32.4 percent with a base of 30,000,000 persons. Interpolation between these results yields 0.9 as the standard error of 32.4 percent based on a population of 25,625,000 persons.

Table I-1. Standard errors of estimates of percentages

When the base of the percentage is: (in thousands)	For estimated percentages of:				
	2 or 98	5 or 95	10 or 90	25 or 75	50
The approximate standard error (expressed in percentage points) is:					
100-----	-	-	9.0	13.0	17.2
500-----	2.1	3.3	4.0	5.9	7.7
1,000-----	1.5	2.4	2.8	4.1	5.5
2,000-----	1.1	1.7	2.0	2.9	3.9
3,000-----	0.9	1.3	1.6	2.4	3.2
5,000-----	0.7	1.1	1.3	1.9	2.4
10,000-----	0.5	0.8	0.9	1.3	1.7
20,000-----	0.4	0.5	0.7	0.9	1.2
30,000-----	0.3	0.4	0.5	0.8	0.9
50,000-----	0.3	0.4	0.4	0.5	0.8
100,000-----	0.1	0.3	0.3	0.4	0.5

APPENDIX II

DEFINITIONS OF CERTAIN TERMS USED IN THIS REPORT

Health Insurance Terms

Health insurance is any plan specifically designed to pay all or part of the medical or hospital expenses of the insured individual. The insurance can be either a group or an individual policy with the premiums paid by the individual, his employer, a third party, or a combination of these. Benefits received under the plan can be in the form of payment to the individual or to the hospital or doctor. However, the plan must be a formal one with defined membership and benefits rather than an informal one. For example, an employer simply paying the hospital bill for an employee would not constitute a health insurance plan.

For the National Health Survey, health insurance excludes the following kinds of plans: (1) plans limited to the "dread diseases," such as cancer and polio; (2) free care such as public assistance or public welfare, care given free of charge to veterans, care given to dependents of military personnel (Medicare), care given under the Crippled Children or similar programs, and care of persons admitted for research purposes; (3) insurance which pays bills only for accidents, such as liability insurance held by a car or property owner, insurance that covers children for accidents at school or camp, and insurance for a worker that covers him only for accidents on the job; and (4) insurance which pays only for loss of income.

Kind of Coverage

Hospital.—Insurance which pays all or part of the hospital bill for the hospitalized person. By hospital bill is meant only the bill submitted by the hospital itself, not the doctor's or surgeon's bill or the bill for special nurses. Such a bill always includes the cost of room and meals and may also include the costs of other services such as operating room, laboratory tests, X-rays, etc.

Surgical.—Insurance which pays in whole or part the bill of the doctor or surgeon for an operation whether performed in a hospital or in the doctor's office. Insurance which pays the costs of visits to a doctor's office for postoperative care is included as surgical insurance.

Doctor visit.—Insurance which pays the doctor's bill for nonsurgical care whether or not it pays for surgical care. Policies may cover home and office calls, special diagnostic examinations, or other non-surgical medical services.

Type of Insuring Organization

Blue Plan.—Any plan which the respondent said was Blue Cross, Blue Shield, or which appeared in the Blue Cross Guide published by the Blue Cross Commission was coded as a Blue Plan.

Other.—All names of plans which were not included above were coded as other. For the most part these were private insurance companies but this category also includes independent prepayment plans such as the Health Insurance Plan of Greater New York and the Kaiser Foundation Health Plan.

Family and Related Terms

The definitions of families and unrelated individuals are the same as those used in the 1950 Census.

Family refers to a group of two or more persons related by blood, marriage, or adoption who are living together in the same household. Although the usual household contains only the primary family, a household can contain secondary families as well as individuals unrelated to the family. A lodger and his family who are not related to the head of the household, or a resident employee and his wife living in are considered as a secondary family and not as part of the primary family. However, if the son of the head of the household and the son's wife and children are members of the household, this subfamily is treated as part of the primary family.

Head of family is usually the person regarded as the "head" by the members of the group. Married women are never classified as heads if their husbands are living with them at the time of the survey except when the husband is a member of the Armed Forces. Only one person in each family can be designated as the head; therefore, the number of heads of families is equal to the number of families.

Other family members are all persons who are related to the head of the family by blood, marriage, or adoption.

Individuals are persons (other than inmates of institutions) who are not living with any relatives. An unrelated individual can be (a) a household head living alone or with nonrelatives, (b) a lodger or resident employee with no relatives in the household, (c) a staff member of an institution who has no relatives living with him, or (d) a resident of a dormitory, lodging house, or other shared-residence facility who has no relative living with him.

Demographic, Social, and Economic Terms

Income of family or of unrelated individuals.—Each member of a family is classified according to the total income of the family of which he is a member. Within the household all persons related to each other by blood, marriage, or adoption constitute a family. Unrelated individuals are classified according to their own income.

The income recorded is the total of all income received by members of the family (or by an unrelated individual) in the 12-month period ending with the

week of interview. Income from all sources is included; e.g., wages, salaries, rents from property, pensions, help from relatives, and so forth.

Age.—The age classification is based on the age of the person at his last birthday. Ages are recorded in single years and then combined into groups which are useful for a particular table.

Major activity.—All persons 6 years old or older are classified according to their major activity during the 12-month period prior to the week of interview. The "major" activity, in case there is a question, is the one at which the person spent the most time during the 12 months.

The only two categories of major activity used in this report are usually working and other. For several reasons these categories are not comparable with the somewhat similarly named categories in official Federal labor force statistics. First, the responses concerning major activity are accepted without detailed questioning since the objective of the question in this survey is the identification of certain population groups which may differ in characteristics related to health, not the estimation of the number of persons in labor force categories. Second, the categories are for the major activity over the entire year whereas official labor force statistics relate to a much shorter period—usually 1 week. Third, the minimum age for usually working persons is age 17 in the U. S. National Health Survey and the official labor force categories include all persons age 14 or older. Finally, in the definitions of specific categories which follow, certain marginal groups are classified differently to simplify procedures.

Usually working includes persons 17 years of age or older who are paid employees; self employed in their own business, profession, or in farming; or unpaid employees in a family business or farm. Persons who only work around the house or do volunteer or unpaid work, such as for a church, etc., are not counted as working.

Other includes persons whose major activity is going to school, keeping house, looking for work, or doing volunteer work. It also includes persons who are retired and persons who are unable to work.

Residence.—Residence is the term used to signify the division of the United States into urban, rural-nonfarm, and rural-farm populations. The definition of urban and rural areas is the same as that used in the 1950 Census.

Urban.—The urban population includes all persons living in (a) places of 2,500 inhabitants or more which are incorporated as cities, boroughs, or villages; (b) incorporated towns of 2,500 inhabitants or more except in New England, New York, and Wisconsin where "Towns" are simply minor civil divisions of counties; (c) the densely settled urban fringe including both incorporated and unincorporated areas around cities of 50,000 or more inhabitants; and (d) unincorporated places of 2,500 inhabitants or more outside any urban fringe. The remaining population is classified as rural.

Rural farm.—The rural-farm population includes all rural residents living on farms. In deciding whether the members of a household live on a farm or ranch, the statement of the household

respondent is accepted with the following exceptions. Persons who pay cash rent for house and yard only are classified as nonfarm even if the surrounding area is farm land. Furthermore, all persons in institutions, summer camps, motels, and tourist camps which are located in farm areas are classified as nonfarm.

Rural nonfarm.—The rural-nonfarm population includes all of the remaining rural population.

Region.—For the purpose of classifying the population by geographic area, the States are grouped into four regions. These regions, which correspond to those used by the Bureau of the Census, are as follows:

Region	States Included
Northeast	Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, New York, New Jersey, Pennsylvania
North Central	Michigan, Ohio, Indiana, Illinois, Wisconsin, Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, Kansas
South	Delaware, Maryland, District of Columbia, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida, Kentucky, Tennessee, Alabama, Mississippi, Arkansas, Louisiana, Oklahoma, Texas
West	Montana, Idaho, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, Washington, Oregon, California

Disability Terms

Persons with chronic conditions are persons who at the time of interview were reported to have one or more chronic conditions. A condition is considered to be chronic if (1) it is described by the respondent in terms of one of the chronic diseases on the "Check List of Chronic Conditions" or in terms of one of the types of impairments on the "Check List of Impairments" shown as Cards A and B in Appendix III, or (2) the condition is described by the respondent as having been first noticed more than 3 months before the week of the interview.

Chronic activity limitation.—The degree of chronic limitation of activity is ascertained for all persons with one or more chronic conditions. These persons are divided into four categories according to the extent to which their activities are limited as a result of the conditions (Cards C, D, E, and F, Appendix III). Since the major activities of housewives, workers, children, and other persons differ, a different set of criteria is used to determine the amount of reduction of major activity for each group. However, there is a general similarity between the criteria as can be seen in the description of the categories that follows:

1. Persons unable to carry on major activity for their group

Preschool children:	inability to take part in ordinary play with other children.	Housewives:	participation in athletics or other extracurricular activities.
School-age children:	inability to go to school.		not limited in housework but limited in other activities, such as church, clubs, hobbies, civic projects, or shopping.
Housewives:	inability to do any housework.		
Workers and all other persons:	inability to work at a job or business.	Workers and all other persons:	not limited in regular work activities but limited in other activities, such as church, clubs, hobbies, civic projects, sports, or games.
2. Persons limited in the amount or kind of major activity performed

Preschool children:	limited in the amount or kind of play with other children, e.g., need special rest periods, cannot play strenuous games, cannot play for long periods at a time.		
School-age children:	limited to certain types of schools or in school attendance, e.g., need special teaching, cannot go to school full time or for long periods at a time.		
Housewives:	limited in amount or kind of housework, i.e., cannot lift children, wash or iron, or do housework for long periods at a time.		
Workers and all other persons:	limited in amount or kind of work, e.g., need special working aids or special rest periods at work, cannot work full time or for long periods at a time, cannot do strenuous work.		
3. Persons not limited in major activity but otherwise limited

Preschool children:	not classified in this category.		
School-age children:	not limited in going to school but limited in		
4. Persons not limited in activities
Includes persons with chronic conditions whose activities are not limited in any of the ways described above.

Hospital Terms

Short-stay hospital.—A short-stay hospital is one for which the type of service is: general; maternity; eye, ear, nose, and throat; osteopathic; or the hospital department of an institution.

Hospital type of service.—Type of hospital service is a classification of hospitals according to the predominant type of cases for which they provide care. The category to which an individual hospital is assigned and the definition of these categories follows the usage of the American Hospital Association.

Hospital episode.—A hospital episode is any continuous period of stay of one or more nights in a hospital as an inpatient except the stay of a well, newborn infant. A hospital is defined as any institution meeting one of the following criteria: (1) named in the listing of hospitals in the 1959 Guide Issue of Hospitals, the Journal of the American Hospital Association; (2) named in the listing of hospitals in the 1959 Directory of the American Osteopathic Hospital Association; (3) named in the annual inventory of hospitals and related facilities submitted by the States to the Division of Hospital Facilities of the U. S. Public Health Service in conjunction with the Hill-Burton Program; or (4) name of the institution unknown but stated by the respondent to be a hospital.

APPENDIX III

QUESTIONNAIRE

The items below show the exact content and wording of the basic questionnaire used in the nationwide household survey of the U. S. National Health Survey. The actual questionnaire is designed for a household as a unit and includes additional spaces for reports on more than one person, condition, accident or hospitalization. Such repetitive spaces are omitted in this illustration.

CONFIDENTIAL - The National Health Survey is authorized by Public Law 642 of the 84th Congress (70 Stat 469; 42 U.S.C. 305). All information which would permit identification of the individual will be held strictly confidential, will be used only by persons engaged in and for the purposes of the survey, and will not be disclosed or released to others for any other purposes (21 FR 1687).

FORM NHE-1 (4-17-66)		U. S. DEPARTMENT OF COMMERCE BUREAU OF THE CENSUS ACTING AS COLLECTING AGENCY FOR THE U. S. PUBLIC HEALTH SERVICE		1. Questionnaire of Questionnaire	
2. (a) Address or description of location (b) Mailing address if not shown in (a)		3. Ident. Code	4. Sub-sample weight	5. Sample Number	6. Segment No. 7. Serial No.
(c) Type of living quarters: <input type="checkbox"/> Dwelling unit <input type="checkbox"/> Other (d) Name of Special Dwelling Place Code		9. Is this house on a farm or ranch? <input type="checkbox"/> Yes <input type="checkbox"/> No		10. What is the telephone number here? <input type="checkbox"/> No phone	
12. Are there any other living quarters, occupied or vacant, in this building (apartment)? <input type="checkbox"/> Yes <input type="checkbox"/> No		11. In case I've overlooked anything, what is the best time to call?		INSTRUCTIONS If "Yes" to questions 12, 13 or 14 apply definition of a dwelling unit to determine whether one or more additional questionnaires should be filled and whether the listing is to be corrected.	
13. Does anyone else living in this building use YOUR ENTRANCE to get to his living quarters? <input type="checkbox"/> Yes <input type="checkbox"/> No		14. Is there any other building on this property for people to live in - either occupied or vacant? <input type="checkbox"/> Yes <input type="checkbox"/> No			
15. RECORD OF CALLS AT HOUSEHOLDS					
Item Entire household Callbacks for individual respondents		Date Time	1 Com.	2 Com.	3 Com.
Col. No.		Date Time	4 Com.	5 Com.	6 Com.
16. REASON FOR NON-INTERVIEW					
TYPE A <input type="checkbox"/> Refusal <input type="checkbox"/> No one at home - repeated calls <input type="checkbox"/> Temporarily absent <input type="checkbox"/> Other (specify)		B <input type="checkbox"/> Vacant - non-seasonal <input type="checkbox"/> Vacant - seasonal <input type="checkbox"/> Usual residence elsewhere <input type="checkbox"/> Armed Forces <input type="checkbox"/> Other (specify)		C <input type="checkbox"/> Deceased <input type="checkbox"/> In sample by mistake <input type="checkbox"/> Eliminated in sub-sample <input type="checkbox"/> Other (specify)	
Comments on non-interview		Interview not obtained for: Code because:		17. Signature of interviewer	
Special instructions or notes		18. Code			

1. (a) What is the name of the head of this household? (Enter name in first column) (b) What are the names of all other persons who live here? (List all persons who usually live here, and all persons staying here who have no usual place of residence elsewhere. List these persons in the prescribed order.)		Last name (11)
(c) Do any (other) lodgers or roomers live here? <input type="checkbox"/> No <input type="checkbox"/> Yes (List)		
(d) Is there anyone else who lives here who is now away on business? On a visit? Temporarily in a hospital? <input type="checkbox"/> No <input type="checkbox"/> Yes (List)		
(e) Is there anyone else staying here now? <input type="checkbox"/> No <input type="checkbox"/> Yes (List)		
(f) Do any of the people in this household have a home elsewhere? <input type="checkbox"/> No (leave on questionnaire) <input type="checkbox"/> Yes (if not a household member, delete)		
2. How are you related to the head of the household? (Enter relationship to head, for example: head, wife, daughter, grandson, mother-in-law, partner, lodger, lodger's wife, etc.)		Relationship Head
3. How old were you on your last birthday?		Age <input type="checkbox"/> Under 1 year
4. Race (Check one box for each person)		<input type="checkbox"/> White <input type="checkbox"/> Negro <input type="checkbox"/> Other
5. Sex (Check one box for each person)		<input type="checkbox"/> Male <input type="checkbox"/> Female
If 17 years old or over, ask: 6. Are you now married, widowed, divorced, separated or never married? (Check one box for each person)		<input type="checkbox"/> Under 17 years <input type="checkbox"/> Married <input type="checkbox"/> Divorced <input type="checkbox"/> Widowed <input type="checkbox"/> Separated <input type="checkbox"/> Never married
If 17 years old or over, ask: 7. What is the highest grade you completed in school? (Circle highest grade completed or check "None")		Elem: 1 2 3 4 5 6 7 8 High: 1 2 3 4 College: 1 2 3 4 5 <input type="checkbox"/> None
If Male and 17 years old or over, ask: 8. (a) Did you ever serve in the Armed Forces of the United States? If "Yes," ask: (b) Are you now in the Armed Forces, not counting the reserves? If "Yes," delete this person from questionnaire		<input type="checkbox"/> From Oct. 1, 1950 <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No
(c) Was any of your service during a war or was it peace-time only? If "War," ask: (d) During which war did you serve? If "Peace-time" only, ask: (e) Was any of your service between June 27, 1950 and January 31, 1955?		<input type="checkbox"/> War <input type="checkbox"/> Peace-time only <input type="checkbox"/> WW I <input type="checkbox"/> Korean <input type="checkbox"/> Other <input type="checkbox"/> Yes <input type="checkbox"/> No
If 17 years old or over, ask: 9. (a) What were you doing most of the past 12 months? (For males): working, or doing something else? (For females): working, keeping house, or doing something else? (If "Something else" checked, and person is 45 years old or over, ask: (b) Are you retired?		<input type="checkbox"/> Under 17 years <input type="checkbox"/> Working <input type="checkbox"/> Keeping house <input type="checkbox"/> Something else <input type="checkbox"/> Yes <input type="checkbox"/> No
If "Working," in q. 9(a), ask: 10. (a) Were you working last week or the week before? If any entry in q. 9(a) besides "Working," ask: (b) Did you work at a job or business at any time last week or the week before? If "No" in q. 10(a) or 10(b), ask: (c) Even though you did not work last week or the week before, do you have a job or business?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No

NOTE: Beginning with question 11 you are to interview for himself or herself, each adult person who is at home.

11. Were you sick or any time LAST WEEK OR THE WEEK BEFORE? (that is, the 2-week period which ended last Sunday.) (a) What was the matter? (b) Anything else?	<input type="checkbox"/> Yes <input type="checkbox"/> No
12. Last week or the week before did you take any medicine or treatment for any condition (be it a cold, flu, etc., which you told me about)? (a) For what condition? (b) Anything else?	<input type="checkbox"/> Yes <input type="checkbox"/> No
13. Last week or the week before did you have any accidents or injuries? (a) What were they? (b) Anything else?	<input type="checkbox"/> Yes <input type="checkbox"/> No
14. Did you ever have on (any other) accident or injury that was still bothering you last week or the week before? (a) How did it bother you? (b) Anything else?	<input type="checkbox"/> Yes <input type="checkbox"/> No
15. AT THE PRESENT TIME do you have any ailments or conditions that have lasted for a long time? (If "No") Even though they don't bother you all the time? (a) What are they? (b) Anything else?	<input type="checkbox"/> Yes <input type="checkbox"/> No
16. Has anyone in the family - you, your-, etc. - had any of these conditions DURING THE PAST 12 MONTHS? (Read Card A, condition by condition; record any conditions mentioned in the column for the person)	<input type="checkbox"/> Yes <input type="checkbox"/> No
17. Does anyone in the family have any of these conditions? (Read Card B, condition by condition; record any conditions mentioned in the column for the person)	<input type="checkbox"/> Yes <input type="checkbox"/> No
R Show in each person's column who responded for questions 11-17. If person responded for self, show whether entirely or partly.	<input type="checkbox"/> Responded for self entirely <input type="checkbox"/> Responded for self partly <input type="checkbox"/> Not Responded

Line number	Col. No. of person	Operation number	Did you EVER or any time talk to doctor about ...?	What did the doctor say it was? ... did he give it a medical name?	What was the cause of ...? (This column to be filled if entry in Col. (d-1) is an Impairment or a Symptom or a Cause)	If eye trouble of any kind and 6 years old or over, ask: Can you see well enough to read ordinary newspaper print with glasses?	What kind of ... trouble is it? Ask only for: Any entry in Col. (d-1) or (d-2) that includes the words: "Fracture", "Contusion", "Dislocation", "Dissemination", "Allergy", "Anemia", "Arthritis", "Asthma", "Neuralgia", "Neuropathy", "Stroke", "Tumor" (not cysts, gonorrhea)	What part of the body is affected? Ask only for: Impairments Injuries Abscesses, boils Infections, inflammation, sores, ulcers Aches, pains, numbness, weakness Bleeding or blood loss Cancer, tumor, cyst or growth Neuralgia or neuritis Head - (Skull, scalp or face) Spine - (Neck, middle or lower) Arm - (Shoulder, upper, elbow, lower, wrist, hand) Leg - (Hip, upper, knee, lower, ankle, foot)	LAST WEEK OR THE WEEK BEFORE did you have to cut down on your usual activities because of this?	How many days, including the day you were hurt, did you have to cut down on your usual activities because of this?	How many of these days were you in bed or in hospital?	If 6-10 years old ask: How many days did you keep you from school last week or the week before?	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	
1			<input type="checkbox"/> Yes <input type="checkbox"/> No				<input type="checkbox"/> Yes <input type="checkbox"/> No						

Line number	Col. No. of person	Question No.	When did you enter the hospital? (Month, year)	To Interviewer			What did they say at the hospital the condition was - did they give it a medical name? (If "they" didn't say, ask: What did the last doctor you talked to say it was? (Show same detail as in col. (d-1)-(d-5) of Table I. If condition from accident or injury, also fill Table A)	Were any operations performed on you during this stay at the hospital?
				How many days were you in the hospital, not counting the day you left?	Will you need to see a doctor in the past 12 months?	How many days were you in the hospital on last Sunday night?		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)
1			Mar. _____ Yr. _____	<input type="checkbox"/> All or <input type="checkbox"/> Days	<input type="checkbox"/> Yes <input type="checkbox"/> No	Days _____ <input type="checkbox"/> None <input type="checkbox"/> No		<input type="checkbox"/> Yes <input type="checkbox"/> No

Line No. from Table I	1. When did it happen? Year _____ (If the year is 1959 or 1960, also enter the month) _____ Month _____	<input type="checkbox"/> Accident happened last week or the week before <input type="checkbox"/> Accident happened last week or the week before
2.	At the time of the accident, what part of the body was hurt? What kind of injury was it? Anything else?	
3(a)	Was a car, truck, bus or other motor vehicle involved in the accident in any way?	<input type="checkbox"/> Yes <input type="checkbox"/> No (Go to q. 3)
3(b)	Was more than one motor vehicle involved?	<input type="checkbox"/> Yes (more than one) <input type="checkbox"/> No
3(c)	Was it (either one) moving at the time?	<input type="checkbox"/> Yes <input type="checkbox"/> No (Go to q. 3)
4.	Were you outside the vehicle, getting in or out of it, a passenger or were you the driver?	
	1. <input type="checkbox"/> Outside 2. <input type="checkbox"/> Getting in or out 3. <input type="checkbox"/> Passenger 4. <input type="checkbox"/> Driver	
5. (a)	How did the accident happen?	
	1. <input type="checkbox"/> Collision between motor vehicle and person riding on bicycle, in streetcar, on railroad train, on horse-drawn vehicle 2. <input type="checkbox"/> Collision between motor vehicle and person who was walking, running, or standing 3. <input type="checkbox"/> Other (Specify) _____	
(b)	What kind of motor vehicle was involved?	
	1. <input type="checkbox"/> Car 2. <input type="checkbox"/> Taxi 3. <input type="checkbox"/> Bus 4. <input type="checkbox"/> Truck 5. <input type="checkbox"/> Motorcycle (Go to question 6) 6. <input type="checkbox"/> Other (Specify) _____	
	If "Getting in or out," "Passenger" or "Driver"	
6. (a)	How did the accident happen?	
	1. <input type="checkbox"/> Collision with another motor vehicle on roadway 2. <input type="checkbox"/> Collision with some other object on roadway (Specify object) _____ 3. <input type="checkbox"/> Came to sudden stop on roadway 4. <input type="checkbox"/> Ran off roadway 5. <input type="checkbox"/> Other (Specify) _____	
(b)	What kind of motor vehicle were you in (getting in) (getting out of) when the accident happened?	
	1. <input type="checkbox"/> Car 2. <input type="checkbox"/> Taxi 3. <input type="checkbox"/> Bus 4. <input type="checkbox"/> Truck 5. <input type="checkbox"/> Motorcycle (Go to question 6) 6. <input type="checkbox"/> Other (Specify) _____	

<p>18. (a) I have some questions about health insurance. We don't want to include insurance that pays ONLY for accidents, but we are interested in all other kinds... Do you, your..., have insurance that pays all or part of the bill when you go to the hospital? If "Yes,"</p> <p>(b) What is the name of the plan (or plans)? Any other plans?</p> <p>(c) Who is covered by this plan (each plan)? (Check "Yes," in 18(a) for each person covered)</p> <p>(d) Does the plan (each plan) pay any part of the surgeon's bill for an operation?</p>		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK Name(s) _____ <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK Name(s) _____
<p>19. (a) Again, excluding insurance that pays ONLY for accidents, do you, your..., have insurance that pays all or part of the bill for doctors' visits or home or at his office? If "Yes,"</p> <p>(b) What is the name of the plan (or plans)? Any other plans?</p> <p>(c) Who is covered by this plan (each plan)? (Check "Yes," in 19(a) for each person covered)</p>		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK Name(s) _____ <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK Name(s) _____
<p>20. (a) DURING THE PAST 12 MONTHS has anyone in the family been a patient in a hospital overnight or longer? If "Yes,"</p> <p>(b) How many times were you in the hospital?</p>		<input type="checkbox"/> Yes (Table II) <input type="checkbox"/> No No. of times _____
<p>21. (a) During the past 12 months has anyone in the family been a patient in a nursing home or institution? If "Yes,"</p> <p>(b) How many times were you in a nursing home or institution?</p>		<input type="checkbox"/> Yes (Table II) <input type="checkbox"/> No No. of times _____
<p>22. During the past 12 months in which group did the total income of your family fall, that is, your's, your-...s, etc.? (Show Card H) Include income from all sources, such as wages, salaries, rents from property, pensions, help from relatives, etc.</p>		Group No. _____

If "Yes," in q. 18(a), 19(a) or 20(a), ask:	Did you first notice... (did it happen) DURING THE PAST 12 MONTHS or before that time?	To interview: If col. (b) is checked, or the condition is on either one of Cards A or B, continue STOP	How long since you last talked to a doctor about...? (If during past 12 months, ask: "Which month?")	Do you still take any medicine or treatment prescribed by a doctor for...? Or, follow any advice he gave?	About how many days during the past 12 months has... kept you from doing most of the day's work?	If I or more in Col. (g)(1) and "Yes" in Col. (g)(2), ask: How many days were you doing last week or the week before?	Ask after completing last condition for each person:				If "1," "2," or "3" in col. (e) ask:	
							Place lock or check each statement (say you best in terms of health. Show Card G, F, as appropriate)	If "1," "2," or "3" in Col. (e) ask: (Enter X on line for each condition you have told me about)	If "1," "2," or "3" in col. (e) ask: (Enter X on line for each condition you have told me about)	If "1," "2," or "3" in col. (e) ask: (Enter X on line for each condition you have told me about)		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(g)(1)	(g)(2)	(h)	(i)	(j)	(k)
Days or None	Check one: Before 3 mos. (a), (b), (c), (d), (e), (f), (g), (h), (i), (j), (k), (l), (m), (n), (o), (p), (q), (r), (s), (t), (u), (v), (w), (x), (y), (z)	Did... start during the past 3 weeks or before that time? (If during past 3 weeks, ask: "Which week, last week or the week before?")	Which month?	Yes, No, or None	Yes, No, or None	Days or None	Days or None	Days or None	Yes, No, or None	Yes, No, or None	Yes, No, or None	Yes, No, or None

What is the name and address of the hospital you were in? (Enter name, city and State; if city not known, enter County)	For completed hospitalizations only ("No" in Col. (g)(3))				Who covers the cost of this insurance—that is, who pays the premium?
	Was any of the hospital bill paid for by any kind of insurance?	If "No" to col. (b), ask: Do you expect any of the hospital bill to be paid for by insurance or any plan of this kind?	If "No" to col. (b), ask: Do you expect any of the hospital bill to be paid for by insurance or any plan of this kind?	What part of the hospital bill was (will be) taken care of by insurance?	
(a)	(b)	(c)	(d)	(e)	(f)
	<input type="checkbox"/> Yes (Skip to col. (f)) <input type="checkbox"/> No	<input type="checkbox"/> Yes (Skip to col. (f)) <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No (Stop)	Under 1/2 1/2 up to 1/2 1/2 or more	<input type="checkbox"/> Family member(s) <input type="checkbox"/> Employer <input type="checkbox"/> Union, club, etc.

<p>7. How did the accident happen?</p> <p>1. <input type="checkbox"/> Any injury involving a uncontrollable fire or explosion</p> <p>2. <input type="checkbox"/> Any injury involving the discharge of a firearm</p> <p>3. <input type="checkbox"/> Any injury from an accident involving a non-motor vehicle in motion (bicycle, railroad train, airplane, boat, sled, horse-drawn vehicle)</p> <p>4. <input type="checkbox"/> Any injury inflicted by machinery (hand or motor driven) while in operation (Specify type) _____</p> <p>5. <input type="checkbox"/> Any injury inflicted by edge or point of knife, scissors, nail or other cutting or piercing implement</p> <p>6. <input type="checkbox"/> Any injury inflicted by foreign body in eye, whirlpool, or other artificial</p> <p>7. <input type="checkbox"/> Any injury inflicted by animal or insect</p> <p>8. <input type="checkbox"/> Any injury inflicted by poisonous substance swallowed (Specify substance) _____</p>		<p>9. <input type="checkbox"/> Fell on stairs or steps or from a height</p> <p>10. <input type="checkbox"/> All other falls</p> <p>11. <input type="checkbox"/> Struck into object or person (covers all collisions between persons including striking, punching, kicking, etc.)</p> <p>12. <input type="checkbox"/> Struck by moving object (include objects held in own hand or hand of other person, wire falling, flying or thrown object)</p> <p>13. <input type="checkbox"/> Hitting or stepping on sharp or rough object (include points from splintered broken glass, etc.)</p> <p>14. <input type="checkbox"/> Caught in, pinched or crushed (i.e., between two moving objects or between a moving and a stationary object)</p> <p>15. <input type="checkbox"/> Came in contact with hot object or hot surface or open flame</p> <p>16. <input type="checkbox"/> Lifting or other exertion</p> <p>17. <input type="checkbox"/> Tripping, stumbling, etc.</p> <p>18. <input type="checkbox"/> Other (Specify how accident happened) _____</p>
<p>8. (a) Where did the accident happen—at home or some other place?</p> <p>1. <input type="checkbox"/> At home (inside house) 2. <input type="checkbox"/> At home (adjacent premises) 3. <input type="checkbox"/> Some other place</p> <p>If "Some other place," ask:</p> <p>(b) What kind of place was it?</p> <p>4. <input type="checkbox"/> Street and highway 5. <input type="checkbox"/> School, (including school premises)</p> <p>6. <input type="checkbox"/> Farm 7. <input type="checkbox"/> Place of recreation and sports, except at school</p> <p>8. <input type="checkbox"/> Industrial place and premises 9. <input type="checkbox"/> Other (Specify) _____</p>		
<p>9. Were you at work or your job at business when the accident happened?</p> <p>1. <input type="checkbox"/> Yes 2. <input type="checkbox"/> No 3. <input type="checkbox"/> While in Armed Services 4. <input type="checkbox"/> Under 17 at time of accident</p>		
<p>FOOTNOTES AND COMMENTS</p>		

<p>Card A</p> <p>NATIONAL HEALTH SURVEY</p> <p>Check List of Chronic Conditions</p> <ol style="list-style-type: none"> 1. Asthma 2. Hay fever 3. Tuberculosis 4. Chronic bronchitis 5. Repeated attacks of sinus trouble 6. Rheumatic fever 7. Hardening of the arteries 8. High blood pressure 9. Heart trouble 10. Stroke 11. Trouble with varicose veins 12. Hemorrhoids or piles 13. Tumor, cyst or growth 14. Chronic gallbladder or liver trouble 15. Stomach ulcer 16. Any other chronic stomach trouble 17. Kidney stones or chronic kidney trouble 18. Arthritis or rheumatism 19. Mental illness 20. Diabetes 21. Thyroid trouble or goiter 22. Any allergy 23. Epilepsy 24. Chronic nervous trouble 25. Cancer 26. Chronic skin trouble 27. Hernia or rupture 28. Prostate trouble 	<p>Card C</p> <p>NATIONAL HEALTH SURVEY</p> <p>For: Workers and other persons except Housewives and Children</p> <ol style="list-style-type: none"> 1. Not able to work at all at present. 2. Able to work but limited in amount of work or kind of work. 3. Able to work but limited in kind or amount of other activities. 4. Not limited in any of these ways. 	<p>Card E</p> <p>NATIONAL HEALTH SURVEY</p> <p>For: Children from 6 through 16 years old</p> <ol style="list-style-type: none"> 1. Not able to go to school at all at present time. 2. Able to go to school but limited to certain types of schools or in school attendance. 3. Able to go to school but limited in other activities. 4. Not limited in any of these ways. 	<p>Card G</p> <p>NATIONAL HEALTH SURVEY</p> <ol style="list-style-type: none"> 1. Confined to the house all the time, except in emergencies. 2. Able to go outside but need the help of another person in getting around outside. 3. Able to go outside alone but have trouble in getting around freely. 4. Not limited in any of these ways.
<p>Card B</p> <p>NATIONAL HEALTH SURVEY</p> <p>Check List of Selected Impairments</p> <ol style="list-style-type: none"> 1. Deafness or serious trouble with hearing 2. Serious trouble with seeing, even when wearing glasses 3. Cleft palate 4. Any speech defect 5. Missing fingers, hand, or arm — toes, foot, or leg 6. Cerebral palsy 7. Paralysis of any kind 8. Repeated trouble with back or spine 9. Club foot 10. Any permanent stiffness or deformity of the foot, leg, fingers, arm or back 11. Condition present since birth 	<p>Card D</p> <p>NATIONAL HEALTH SURVEY</p> <p>For: Housewife</p> <ol style="list-style-type: none"> 1. Not able to keep house at all at present. 2. Able to keep house but limited in amount or kind of housework. 3. Able to keep house but limited in kind or amount of other activities. 4. Not limited in any of these ways. 	<p>Card F</p> <p>NATIONAL HEALTH SURVEY</p> <p>For: Children under 6 years old</p> <ol style="list-style-type: none"> 1. Not able to take part at all in ordinary play with other children. 2. Able to play with other children but limited in amount or kind of play. 4. Not limited in any of these ways. 	<p>Card H</p> <p>NATIONAL HEALTH SURVEY</p> <p>Family income during past 12 months</p> <p>Group 1. Under \$500 (including loss)</p> <p>Group 2. \$500 — \$999</p> <p>Group 3. \$1,000 — \$1,999</p> <p>Group 4. \$2,000 — \$2,999</p> <p>Group 5. \$3,000 — \$3,999</p> <p>Group 6. \$4,000 — \$4,999</p> <p>Group 7. \$5,000 — \$6,999</p> <p>Group 8. \$7,000 — \$9,999</p> <p>Group 9. \$10,000 and over</p>

APPENDIX IV

SPECIAL NOTES ON HEALTH INSURANCE DATA

Within the framework of the Health Interview Survey, which is described in Appendix I, special procedures were used to collect the data on health insurance. No part of the basic questionnaire and interviewing instructions was changed in any way. The sample design and the estimating procedures described in Appendix I were the same for all data, including the estimates on health insurance coverage. However, a change in the definition of an eligible respondent introduced changes in the field procedures and also a nonresponse component which was not included in the regular adjustment for nonresponse. These changes and some of their effects on the data are set forth in the following paragraphs.

Reporting Unit

For the questions on health insurance, the only acceptable respondent was the head of a reporting unit. A reporting unit within the household was defined by one of the following categories:

(1) Any primary family, secondary family, or subfamily consisting of a parent or parents and unmarried children under 18 years of age.

(2) Any married couple (including common-law marriages) or any married person with no spouse or children in the household regardless of age.

(3) Any person 18 years of age or older with no spouse or children in the household regardless of marital status.

(4) Any unrelated individual regardless of age with the following exception: A child with no parent in the household was included in the same reporting unit as the person responsible for his care.

The head of the reporting unit for a 1-person unit was the person himself. The head of the reporting unit consisting of married couples (with or without children) was the husband. For any other reporting unit the responsible adult was considered to be the head.

Interviewing

The standard rules for respondents for the National Health Survey are that each person 18 years of age or over who is at home at the time of interview is to answer for himself all questions relating to health. In all other cases another adult member of the family answers for children and adults not at home.

If the head of the reporting unit was one of the adults present, the interviewer asked all questions on the questionnaire in order and simply directed the health insurance questions to the head of the reporting unit. If the head of the reporting unit was not present, the interviewer omitted the health insurance questions and completed the rest of the questionnaire. She then filled out form NHS-3a (fig. 1) and left it and a franked

addressed envelope with the respondent, asking that the form be filled out and mailed as soon as possible.

Field Procedures

Three attempts were made to reach those persons who did not respond within a few days. If the NHS-3a form had not been received by the regional office on the Friday following the interview week, a second mail-in form (NHS-3b, identical to NHS-3a except for the wording of the letter) was sent to the head of the reporting unit. One week later a third form was sent to those persons who had not yet responded. The following Friday another attempt was made to reach those who still had not returned any of the mail-in forms. During the first 3 months a fourth form was mailed to those reporting units which had not responded; during the second 3 months the fourth mail form was replaced by a person-to-person telephone call to those reporting units with telephones. As a result of this intensive follow-up, 93.1 percent of the reporting units eventually responded (table IV-1).

Table IV-1. Number of reporting units for which health insurance forms were left and response after all followups were completed

	Number of reporting units		Percent of reporting units responding
	Forms left	Responding	
Total-----	9,220	8,583	93.1
July-September---	4,507	4,174	92.6
October-December-	4,713	4,409	93.5

National Estimates

Table IV-II shows the national estimates for hospital insurance coverage according to whether the information was given at the time of interview or a mail-in form was left. The information was obtained at the time the interview was conducted for 52 percent of the total population and for 82 percent of the population 65 years of age or over.

The nonresponse rate for the population for which mail-in forms were left was 7.6 percent. The information for an additional 2.6 percent was either incomplete or the respondent did not know whether members

U. S. DEPARTMENT OF COMMERCE
BUREAU OF THE CENSUS
 Regional Office

Dear Friend:

The Bureau of the Census is conducting a special survey on health insurance for the U.S. Public Health Service. This study, when combined with other information, will serve to answer important questions about health and medical care in our Nation.

The Census interviewer who called at your household was not able to see you personally. Please answer the questions on the back of this letter and mail it at your earliest convenience. A self-addressed envelope which requires no postage has been provided for this purpose.

Your cooperation in answering these questions will insure the greatest possible benefit to you and the people of our country. The information will be given confidential treatment by the Bureau of the Census and the Public Health Service. Nothing will be published except statistical summaries.

Thank you.

Sincerely yours,

Regional Field Director

Name of person who is to fill this report:				BACK				Date form was left at house-hold:	Form Approved; Budget Bureau No. 68-B-620-1
								Sheet _____ of _____ sheets	
PLEASE ANSWER THE QUESTIONS IN EACH OF SECTIONS A, B, AND C BELOW FOR EACH PERSON WHOSE NAME APPEARS AT THE TOP OF A COLUMN									
Special Note: Do NOT include insurance that pays ONLY for accidents									
	Questions for			Col.	Col.	Col.	Col.		
A	1. Does this person have (or is he or she covered by) any insurance that pays all or part of the bill when he (she) goes to the hospital? If "Yes":	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name(s) of Insurance Company or Plan:	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name(s) of Insurance Company or Plan:	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name(s) of Insurance Company or Plan:	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	2. What is the name of the insurance company or plan? (If more than one, give each name)								
B	1. Does this person have (or is he or she covered by) any insurance that pays any part of the surgeon's bill for an operation? If "Yes":	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name(s) of Insurance Company or Plan:	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name(s) of Insurance Company or Plan:	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name(s) of Insurance Company or Plan:	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	2. What is the name of the insurance company or plan? (If more than one, give each name)								
C	1. Does this person have (or is he or she covered by) any insurance that pays all or part of the bill for doctor's visits at home or at the doctor's office? If "Yes":	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name(s) of Insurance Company or Plan:	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name(s) of Insurance Company or Plan:	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name(s) of Insurance Company or Plan:	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	2. What is the name of the insurance company or plan? (If more than one, give each name)								
Sample	PSU No.	Segment No.	Serial No.	FOR OFFICE USE ONLY.					
			Date received						

FORM NHS-3a

Figure 1.

USCOMM-DC 14328-P

Table IV-II. Percent of persons according to response on hospital insurance by age and method of data collection

Age and method of data collection	Hospital insurance					
	Total	Yes	No	Uncodable		
				Total	Don't know or incomplete	No response
Percent distribution						
<u>All ages</u>						
All respondents-----	100.0	63.4	31.0	5.6	1.9	3.7
Interview-----	100.0	61.8	36.9	1.3	1.3	-
Mail-----	100.0	65.1	24.7	10.2	2.6	7.6
<u>0-24</u>						
All respondents-----	100.0	61.1	32.0	6.9	2.5	4.4
Interview-----	100.0	59.4	38.3	2.2	2.2	-
Mail-----	100.0	62.5	26.5	11.0	2.7	8.3
<u>25-44</u>						
All respondents-----	100.0	69.5	24.9	5.7	1.5	4.2
Interview-----	100.0	69.9	29.3	0.8	0.8	-
Mail-----	100.0	69.1	20.9	10.0	2.1	7.9
<u>45-64</u>						
All respondents-----	100.0	68.4	27.4	4.2	1.7	2.5
Interview-----	100.0	68.4	31.0	0.6	0.6	-
Mail-----	100.0	68.3	22.6	9.2	3.3	5.9
<u>65+</u>						
All respondents-----	100.0	45.2	52.9	1.9	1.1	0.8
Interview-----	100.0	43.8	55.4	0.8	0.8	-
Mail-----	100.0	51.6	41.1	7.3	2.7	4.6

of the reporting unit were covered. Thus, 89.8 percent of the persons for whom NHS-3a forms were left returned codable information about hospital insurance. Of the persons for whom information was obtained at the time of interview, 98.7 percent gave codable information. The survey yielded codable information on hospital insurance for 96.3 percent of the total population.

Although the size of the nonresponse component was the same for all three types of coverage, the size of the "don't know" and uncodable group was larger for surgical insurance than for hospital insurance and largest for coverage for doctor visits. For surgical insurance 91.6 of the population gave codable information; for coverage for doctor's visits 90.1 percent of the population yielded usable information. Tables for these two types of coverage have not been included since the distribution by age and method of collection was essentially the same as for hospital insurance. The difference in the three types of coverage was mostly due to respondents not knowing whether they had the particular type of coverage rather than to

failure of respondents or interviewers to fill out the forms properly.

Computational Procedures

The sample for the U. S. National Health Survey was designed to produce estimates of aggregates for the four major regions and the three residence areas from the annual sample. For any shorter time period the estimated aggregates may differ considerably from those produced from the annual sample. However, except for possible seasonal effects and the increased size of the sampling error because of the smaller sample, the validity of rates is not affected. For this reason, percentages only are included in this report, which is based on 6 months of interviewing. Seasonal effects should be of little or no importance in rates of health insurance coverage.

To obtain these percentages, only those persons who provided codable information as to whether or not they had health insurance were included. This has the

Table IV-III. Percentage of population included in calculations of health insurance coverage

Characteristic	Type of coverage		
	Hospital	Surgical	Doctor visits
U. S. total-----	94.4	91.6	90.1
<u>Age</u>			
0-14-----	93.4	90.9	89.4
15-24-----	92.5	89.1	88.0
25-34-----	93.9	91.8	90.0
35-44-----	94.8	92.3	90.8
45-54-----	95.3	91.7	89.8
55-64-----	96.4	92.7	90.8
65-74-----	98.0	95.1	93.8
75+-----	98.2	95.5	95.1
<u>Sex</u>			
Male-----	94.4	91.6	90.1
Female-----	94.5	91.6	90.1
<u>Region</u>			
Northeast-----	94.0	91.2	90.0
North Central-----	95.3	93.0	91.0
South-----	93.5	90.3	89.1
West-----	95.2	92.2	90.5
<u>Residence</u>			
Urban-----	94.3	91.4	89.9
Rural nonfarm-----	95.0	92.5	90.8
Rural farm-----	93.8	90.7	89.5
<u>Family income</u>			
0-\$1,999-----	94.7	92.3	91.7
\$2,000-3,999-----	93.5	90.0	89.0
\$4,000-6,999-----	95.1	92.5	90.6
\$7,000+-----	96.2	94.6	92.4
Unknown-----	88.1	81.8	80.6
<u>Major activity</u>			
Usually working-----	94.9	91.7	90.0
Other-----	94.1	91.5	90.1
<u>Family status</u>			
Head of families-----	95.7	93.1	91.6
Other family members-----	93.7	90.9	89.2
Individuals-----	96.9	93.1	93.2
<u>Limitation of activity</u>			
No chronic conditions-----	93.9	91.0	89.5
No limitation-----	94.8	91.9	90.3
Limited in outside activity-----	94.6	93.0	91.1
Limited in major activity-----	94.4	93.6	92.4
Unable to carry on major activity-----	97.3	95.4	94.6

effect of distributing the population for whom information about health insurance coverage was not available (because of nonresponse or lack of knowledge on the part of the respondent) in the same proportion as those persons for whom the information was available.

The age-adjusted rates were computed by the direct method of multiplying the age-specific coverage rates within the specified population group by the corresponding age group in a standard population. This gave the expected number of persons covered in each age group. These numbers were then added and the sum was divided by the total population used as a standard to obtain the adjusted rate. The standard population used was the same as that used to compute the age-specific rates for the U.S.

total, i.e., the estimated number of persons who provided codeable information about their insurance coverage.

As could be expected, the percentage of the population for which information was not available varied somewhat from one population group to another. Since the procedure utilized might have introduced some bias due to the unknown characteristics of persons for whom the information was not available, the percentage of each of several population groups which was included in the calculations is shown in table IV-III. Inspection of table IV-III indicates that the nonresponse rate was not large or variable enough to introduce a serious bias.

SELECTED REPORTS FROM THE U. S. NATIONAL HEALTH SURVEY

Series A (Program descriptions, survey designs, concepts, and definitions)

- No. 1. Origin and Program of the U. S. National Health Survey. PHS Pub. No. 584-A1. Price 25 cents.
- No. 2. The Statistical Design of the Health Household-Interview Survey. PHS Pub. No. 584-A2. Price 35 cents.
- No. 3. Concepts and Definitions in the Health Household-Interview Survey. PHS Pub. No. 584-A3. Price 30 cents.

Series B (Health Interview Survey results by topics)

- No. 7. Hospitalization, Patients Discharged from Short-Stay Hospitals, United States, July 1957-June 1958. PHS Pub. No. 584-B7. Price 30 cents.
- No. 8. Persons Injured by Class of Accident, United States, July 1957-June 1958. PHS Pub. No. 584-B8. Price 40 cents.
- No. 9. Impairments by Type, Age, and Sex, United States, July 1957-June 1958. PHS Pub. No. 584-B9. Price 25 cents.
- No. 10. Disability Days, United States, July 1957-June 1958. PHS Pub. No. 584-B10. Price 40 cents.
- No. 11. Limitation of Activity and Mobility Due to Chronic Conditions, United States, July 1957-June 1958. PHS Pub. No. 584-B11. Price 30 cents.
- No. 12. Chronic Respiratory Conditions Reported in Interviews, United States, July 1957-June 1958. PHS Pub. No. 584-B12. Price 30 cents.
- No. 13. Heart Conditions and High Blood Pressure Reported in Interviews, United States, July 1957-June 1958. PHS Pub. No. 584-B13. Price 30 cents.
- No. 14. Dental Care, Interval and Frequency of Visits, United States, July 1957-June 1959. PHS Pub. No. 584-B14. Price 35 cents.
- No. 15. Dental Care, Volume of Visits, United States, July 1957-June 1959. PHS Pub. No. 584-B15. Price 35 cents.
- No. 16. Types of Injuries, Incidence and Associated Disability, United States, July 1958-June 1959. PHS Pub. No. 584-B16. Price 30 cents.
- No. 17. Peptic Ulcers Reported in Interviews, United States, July 1957-June 1959. PHS Pub. No. 584-B17. Price 25 cents.
- No. 18. Acute Conditions, Incidence and Associated Disability, United States, July 1958-June 1959. PHS Pub. No. 584-B18. Price 30 cents.
- No. 19. Volume of Physician Visits, United States, July 1957-June 1959. PHS Pub. No. 584-B19. Price 40 cents.
- No. 20. Arthritis and Rheumatism Reported in Interviews, United States, July 1957-June 1959. PHS Pub. No. 584-B20. Price 25 cents.
- No. 21. Diabetes Reported in Interviews, United States, July 1957-June 1959. PHS Pub. No. 584-B21. Price 25 cents.
- No. 22. Loss of Teeth, United States, July 1957-June 1958. PHS Pub. No. 584-B22. Price 25 cents.
- No. 23. Acute Conditions, Geographic Distribution, United States, July 1958-June 1959. PHS Pub. No. 584-B23. Price 30 cents.
- No. 24. Acute Conditions, Seasonal Variations, United States, July 1957-June 1960. PHS Pub. No. 584-B24. Price 35 cents.
- No. 25. Hernias Reported in Interviews, United States, July 1957-June 1959. PHS Pub. No. 584-B25.
- No. 26. Interim Report on Health Insurance, United States, July-December 1959. PHS Pub. No. 584-B26.

Series C (Health Interview Survey results for population groups)

- No. 1. Children and Youth, Selected Health Characteristics, United States, July 1957-June 1958. PHS Pub. No. 584-C1. Price 35 cents.
- No. 2. Veterans, Health and Medical Care, United States, July 1957-June 1958. PHS Pub. No. 584-C2. Price 40 cents.
- No. 3. The Hawaii Health Survey, Description and Selected Results, Oahu, Hawaii, October 1958-September 1959. PHS Pub. No. 584-C3. Price 40 cents.
- No. 4. Older Persons, Selected Health Characteristics, United States, July 1957-June 1959. PHS Pub. No. 584-C4. Price 45 cents.

Series D (Developmental and Evaluation Reports)

- No. 1. A Study of Special Purpose Medical-History Techniques. PHS Pub. No. 584-D1. Price 30 cents.
- No. 2. Co-operation in Health Examination Surveys. PHS Pub. No. 584-D2. Price 35 cents.
- No. 3. Hospital Utilization in the Last Year of Life. PHS Pub. No. 584-D3.

Catalog Card

U. S. National Health Survey.

Interim report on health insurance, United States, July-December 1959; results of a preliminary study on the proportion of the population covered by hospital insurance, surgical insurance, and doctor visit insurance according to selected characteristics of the population. Based on data collected in household interviews during the period July-December 1959. Washington, U. S. Dept. of Health, Education, and Welfare, Public Health Service, 1960.

67 p. tables. 26cm. (Ita health statistics, ser. 826)

U. S. Public Health Service. Publication no. 584-B26.

- 1. Insurance, Health - U. S. 2. Medical service, Prepayment - U. S.
- 3. Insurance, Hospitalization. 1. Title.

Cataloged by U. S. Dept. of Health, Education, and Welfare Library.